PUBLICATION LIST

Professor Teruaki MUKAIYAMA

1952

- 1 On the Thermal Dissociation of Organic Compounds. I. The Urea Linkage (Diphenylurea in Fatty Acids). *J. Am. Chem. Soc.*, **74**, 3097 (1952), by T. Hoshino, T. Mukaiyama, and H. Hoshino.
- 2 On the Thermal Dissociation of Organic Compounds. II. The Dissociation of the Urea Linkage in Sym-dimethylurea, Asym-dimethylurea and Asym-phenylethylurea in Butyric Acid. *Bull. Chem. Soc. Jpn.*, **25**, 392 (1952), by T. Hoshino, T. Mukaiyama, and H. Hoshino.
- 3 On the Thermal Dissociation of Organic Compounds. III. The Dissociation of Ester Linkage in Phenylcarbaminoic Acid Phenyl Ester in Butyric Acid. *Bull. Chem. Soc. Jpn.*, **25**, 396 (1952), by T. Hoshino, T. Mukaiyama, and H. Hoshino.

1953

- 4 On the Thermal Dissociation of Organic Compounds. V. The Effect of the Solvent (Fatty Acids) on the Thermal Dissociation of Urea. *J. Am. Chem. Soc.*, **75**, 6209 (1953), by T. Mukaiyama and T. Matsunaga.
- 5 The Effect of the Substituents (Alkyl-groups) on the Thermal Dissociation of Carbaminoic Acid Esters. *Bull. Chem. Soc. Jpn.*, **26**, 49 (1953), by T. Mukaiyama, S. Motoki, and Y. Hamada.

1954

- 6 The Effects of Substituents on the Hydrolysis of Substituted Cyanamides in Sulfuric Acid Solution. *Bull. Chem. Soc. Jpn.*, **27**, 416 (1954), by T. Mukaiyama, S. Ohishi, and H. Takamura.
- 7 On the Thermal Dissociation of Organic Compounds. VI. The Effect of the Substituent and That of the Solvent on the Thermal Dissociation of Ureas. *Bull. Chem. Soc. Jpn.*, **27**, 578 (1954), by T. Mukaiyama, S. Ozaki, and T. Hoshino.

1955

- 8 On the Thermal Dissociation of Organic Compounds. VII. The Urea Linkage (1,3-Dibenzylurea and 1-Isopropyl-3,3-diethyl-urea in Alcohols). *Bull. Chem. Soc. Jpn.*, **28**, 253 (1955), by T. Mukaiyama.
- 9 On the Thermal Dissociation of Organic Compounds. X. The Effects of the Solvents (Amines and Fatty Acids) on the Thermal Dissociation of Urethans. *J. Am. Chem. Soc.*, **78**, 1946 (1956), by T. Mukaiyama and Y. Hoshino.
- 10 On the Thermal Dissociation of Organic Compounds. VIII. The Effects of the Substituents on the Thermal Dissociation of Tri-substituted Ureas. *Bull. Chem. Soc. Jpn.*, **29**, 51 (1956), by T. Mukaiyama, S. Ozaki, and Y. Kobayashi.

- 11 On the Thermal Dissociation of Organic Compounds. IX. The Urea Linkage (1,3-Di-substituted Ureas in Alcohols). *Bull. Chem. Soc. Jpn.*, **29**, 54 (1956), by T. Mukaiyama and Y. Fujita.

- 12 A Kinetic Study of the Reaction of Substituted Benzyl Chlorides with Tertiary Amines. *Bull. Chem. Soc. Jpn.*, **29**, 908 (1956), by T. Mukaiyama and H. Tanaka.

1957

- 13 On the Thermal Dissociation of Organic Compounds. XI. The Effects of the Substituents on the Thermal Dissociation of Urethans in Amine Solvent. *J. Am. Chem. Soc.*, **79**, 73 (1957), by T. Mukaiyama and M. Iwanami.

- 14 On the Thermal Dissociation of Organic Compounds. XIII. The Effect of Ring Size on the Rate of the Thermal Dissociation of Cyclopolymethyleneureas. *J. Am. Chem. Soc.*, **79**, 4358 (1957), by S. Ozaki, T. Mukaiyama, and K. Uno.

1960

- 15 The Reactions of Primary Nitroparaffins with Isocyanates. *J. Am. Chem. Soc.*, **82**, 5339 (1960), by T. Mukaiyama and T. Hoshino.

- 16 On the Thermal Dissociation of Organic Compounds. XIV. The Effects of the Solvents and of the Substituents on the Thermal Dissociation of Urethans in Amines, *Bull. Chem. Soc. Jpn.*, **33**, 1137 (1960), by T. Mukaiyama, T. Akiba, and T. Asahi.

- 17 The Dehydration Reactions of Nitroparaffins and Aldoximes. *Bull. Chem. Soc. Jpn.*, **33**, 1382 (1960), by T. Mukaiyama and T. Hata.

- 18 On the Thermal Dissociation of Organic Compounds. XV. Thermal Dissociation of Urethans in the Presence of Aromatic Amines. *Bull. Chem. Soc. Jpn.*, **33**, 1707 (1960), by T. Mukaiyama and T. Akiba.

- 19 The Dehydration Reactions of Aldoximes. *Bull. Chem. Soc. Jpn.*, **33**, 1712 (1960), by T. Mukaiyama and T. Hata.

- 20 A Kinetic Study of Addition Reaction of Vinyl Ether with Carboxylic Acids. *Bull. Chem. Soc. Jpn.*, **33**, 1716 (1960), by T. Mukaiyama and H. Nohira.

1961

- 21 Dehydration Reactions of Hydroxamic Acids. A New Method for the Preparation of Isocyanates, *J. Org. Chem.*, **26**, 782 (1961), by T. Mukaiyama and H. Nohira.

- 22 Studies on the Beckmann Rearrangement. I. Dehydrations of Aldoximes with Methylketene Diethylacetal. *J. Org. Chem.*, **26**, 2202 (1961), by T. Mukaiyama, K. Tonooka, and K. Inoue.

- 23 Novel Method for the Preparation of Organic Isocyanates. *J. Org. Chem.*, **26**, 4381 (1961), by T. Mukaiyama, M. Tokizawa, H. Nohira, and H. Takei.

- 24 The Dehydration Reactions by Means of Esters of Phosphoric Acid. *Bull. Chem. Soc. Jpn.*, **34**, 99 (1961), by T. Mukaiyama and T. Hata.

- 25 The Preapration of Diethyl Phosphate. *Bull. Chem. Soc. Jpn.*, **34**, 812 (1961), by T. Mukaiyama and T. Fujisawa.

1962

- 26 Dehydration Reaction of Hydroxamic Acids with Unsaturated Ethers. *Bull. Chem. Soc. Jpn.*, **35**, 71 (1962), by T. Mukaiyama, H. Nohira, and S. Asano.
- 27 Reactions of Iminocarbonates with Acids. *Bull. Chem. Soc. Jpn.*, **35**, 687 (1962), by T. Mukaiyama, T. Fujisawa, and T. Hyugaji.
- 28 Dehydration Reactions of Benzaldoxime by Means of Compounds Having a Nitrogen-Carbon Double Bond. *Bull. Chem. Soc. Jpn.*, **35**, 1104 (1962), by T. Mukaiyama, T. Fujiwasa, and O. Mitsunobu.
- 29 A Selective Phosphorylation by Means of α -Bromocyanoacetamides and Trialkyl Phosphites. *Bull. Chem. Soc. Jpn.*, **35**, 1106 (1962), by T. Hata and T. Mukaiyama.
- 30 Pyrolysis of Acid Amides. II. Pyrolysis of 2-Haloacetamides. *J. Org. Chem.*, **27**, 803 (1962), by T. Mukaiyama, M. Tokizawa, and H. Takei.
- 31 Methods of Phosphorylation by Means of Organic Dehydrating Reagents. *J. Org. Chem.*, **27**, 1815 (1962), by T. Mukaiyama, T. Hata, and O. Mitsunobu.
- 32 Reactions of Diethyl Phosphorochloridite with Alkali Salts of Nitroparaffins. *J. Org. Chem.*, **27**, 2201 (1962), by T. Mukaiyama and H. Nambu.
- 33 A New Type of Ring-Opening Polymerization. *J. Org. Chem.*, **27**, 3337 (1962), by T. Mukaiyama, T. Fujisawa, H. Nohira, and T. Hyugaji.
- 34 Deoxygenations of Isocyanates and Diphenylketene by Tertiary Phosphites. *J. Org. Chem.*, **27**, 3651 (1962), by T. Mukaiyama, H. Nambu, and M. Okamoto.

1963

- 35 A Selective Phosphorylation by Means of Dibromomalonamide and Trialkyl Phosphites. *J. Org. Chem.*, **28**, 481 (1963), by T. Mukaiyama, T. Hata, and K. Tasaka.
- 36 Reactions of Mercuric Carboxylates with Trivalent Phosphorus Compounds. *J. Org. Chem.*, **28**, 917 (1963), by T. Mukaiyama, H. Nambu, and I. Kuwajima.
- 37 Novel Method for the Preparation of Acid Anhydrides by Means of Diphenylmercury and Tertiary Phosphine. *J. Org. Chem.*, **28**, 2024 (1963), by T. Mukaiyama, I. Kuwajima, and Z. Suzuki.
- 38 Pyrolysis of Acid Amides. III. Pyrolysis of Cyanoacetamides and 2-Phenylacetamides. *Bull. Chem. Soc. Jpn.*, **36**, 95 (1963), by T. Mukaiyama, H. Takei, and Y. Koma.
- 39 The Synthesis and Ring-Opening Polymerization of N-Substituted 2-Iminotetrahydrofurans. *Bull. Chem. Soc. Jpn.*, **36**, 99 (1963), by T. Mukaiyama and K. Sato.

- 40 The Reactions of Nitrosobenzene and Some Methylene Compounds. *Bull. Chem. Soc. Jpn.*, **36**, 870 (1963), by H. Nohira, K. Sato, and T. Mukaiyama.

1964

- 41 A Novel Method for the Preparation of Acid Anhydrides by Means of Trans-Dibenzoyl ethylene and Tertiary Phosphines. *J. Org. Chem.*, **29**, 1385 (1964), by I. Kuwajima and T. Mukaiyama.
- 42 A New Synthesis of Diaryl- and Alkylaryl-Substituted Acetylenes from α -Diketones and Triethyl Phosphite. *J. Org. Chem.*, **29**, 2243 (1964), by T. Mukaiyama, H. Nambu, and T. Kumamoto.
- 43 1,3-Addition-Type Ring-Opening Polymerization of Cyclic Phosphonites. *J. Org. Chem.*, **29**, 2572 (1964), by T. Mukaiyama, T. Fujisawa, Y. Tamura, and Y. Yokota.
- 44 Phosphorylation via Oxidation of Phosphites. I. Preparation of Dialkyl Phosphites by the Reaction of Alcohols with Ethyl N-Phenylimino Phosphite and Benzaldehyde. *J. Org. Chem.*, **29**, 3005 (1964), by O. Mitsunobu and T. Mukaiyama.
- 45 Synthesis of Testosterone Dimethyl Phosphate, Bornyl Phosphate and Adenosine 5'-Phosphate. *Bull. Chem. Soc. Jpn.*, **37**, 103 (1964), by T. Hata and T. Mukaiyama.
- 46 The Ring-Opening Addition Reactions of Exo-imino Cyclic Compounds with Carboxylic Acids. *Bull. Chem. Soc. Jpn.*, **37**, 628 (1964), by T. Mukaiyama, Y. Tamura, and T. Fujisawa.
- 47 The Synthesis of 1,4-Addition Type Ring-Opening Polymerization of N-Substituted Cyclic Iminocarbonates. *Bull. Chem. Soc. Jpn.*, **37**, 793 (1964), by T. Fujisawa, Y. Tamura, and T. Mukaiyama.
- 48 The Preparation of Poly(ethylene N,N'-Disubstituted Ureas) by the 1,4-Addition Type Ring-Opening Polymerization of 2-Imino-1,3-oxazolidines. *Bull. Chem. Soc. Jpn.*, **37**, 797 (1964), by H. Nohira, Y. Nishikawa, and T. Mukaiyama.

1965

- 49 Oxidation of Phosphites and Phosphines via Quaternary Phosphonium Salts. *J. Org. Chem.*, **30**, 101 (1965), by T. Mukaiyama, O. Mitsunobu, and T. Obata.
- 50 Preparation of Esters of Phosphoric Acid via Quaternary Phosphonium Salts. *J. Org. Chem.*, **30**, 1071 (1965), by O. Mitsunobu, T. Obata, and T. Mukaiyama.
- 51 The Deoxygenation of Isocyanates by 2-Phenyl-3-methyl-1,3,2-oxazaphospholidine. A Convenient Method for the Preparation of Isonitriles. *Bull. Chem. Soc. Jpn.*, **38**, 858 (1965), by T. Mukaiyama and Y. Yokota.
- 52 The Synthesis and the Reactions of 2,4,6-Tri-(ω -hydroxyalkyl)-1,3,5-triazines. *Bull. Chem. Soc. Jpn.*, **38**, 897 (1965), by H. Nohira, Y. Nishikawa, Y. Furuya, and T. Mukaiyama.
- 53 Phosphorylation of Alcohols by the Use of Benzyl diethyl Phosphite and Monobromocycloacetamide or N-Bromosuccinimide. *Bull. Chem. Soc. Jpn.*, **38**, 1088 (1965), by T. Mukaiyama, T. Obata, and O. Mitsunobu.

- 54 Phosphorylation by the Use of Diethyl-phosphorosuccinimide. *Bull. Chem. Soc. Jpn.*, **38**, 1091 (1965), by T. Mukaiyama, T. Obata, and O. Mitsunobu.
- 55 The Reactions of Benzoyl Cyanide with Trivalent Phosphorous Compounds. *Bull. Chem. Soc. Jpn.*, **38**, 1954 (1965), by T. Mukaiyama, I. Kuwajima, and K. Ohno.
- 56 The Preparation of Iminosulfonic Acid Derivatives by Means of Sulfinamides and N-Bromosuccinimide. *Bull. Chem. Soc. Jpn.*, **38**, 1989 (1965), by H. Takei, I. Watanabe, and T. Mukaiyama.
- 57 Phosphorylation by Means of Ethyl Phosphorodimorpholidite and α -Bromoamides. *Bull. Chem. Soc. Jpn.*, **38**, 2100 (1965), by O. Mitsunobu, T. Obata, Y. Sugaya, and T. Mukaiyama.
- 58 Reactions of the Iodomethylate of N,N-Dimethylthiobenzamide with Nucleophilic Reagents. *Bull. Chem. Soc. Jpn.*, **38**, 2107 (1965), by T. Mukaiyama, T. Yamaguchi, and H. Nohira.

1966

- 59 1,4-Addition-Type Ring-Opening Polymerization of 1,3-Oxazolidine-2-thiones. *J. Org. Chem.*, **31**, 32 (1966), by T. Mukaiyama, I. Kuwajima, and K. Mizui.
- 60 New Syntheses of Phosphorylaminoethanols. *J. Org. Chem.*, **31**, 2903 (1966), by Y. Kodaira and T. Mukaiyama.
- 61 The Reactions of N-Phenyl Ethanolamine with Imido Phosphites, Amido Phosphites and Amino Phosphines. *Bull. Chem. Soc. Jpn.*, **39**, 214 (1966), by O. Mitsunobu, T. Ohashi, M. Kikuchi, and T. Mukaiyama.
- 62 Phosphorylation via the Oxidation of Phosphite. II. The Preparation of the Diesters of Phosphorous Acid by the Reaction of Alcohols with Ethyl N-Phenylimino Phosphite and Acid. *Bull. Chem. Soc. Jpn.*, **39**, 566 (1966), by T. Mukaiyama and K. Osaka.
- 63 The Reactions of Amido Phosphites. A New Synthesis of Oxazolidine, Imidazolidone and Thiazolidine Derivatives. *Bull. Chem. Soc. Jpn.*, **39**, 708 (1966), by O. Mitsunobu, T. Ohashi, and T. Mukaiyama.
- 64 The Reactions of the Benzil-Triethyl Phosphite Adduct. *Bull. Chem. Soc. Jpn.*, **39**, 879 (1966), by T. Mukaiyama and T. Kumamoto.
- 65 The Phosphorylation of Alcohols by the Reaction of Mono-bromocyanoacetamide with Monobenzyl Phosphite or Inorganic Phosphorous Acid. *Bull. Chem. Soc. Jpn.*, **39**, 1040 (1966), by T. Obata, M. Ueki, and T. Mukaiyama.
- 66 The Preparation of 2-Alkoxy-1,3,2-oxazaphospholidines and Some Reactions. *Bull. Chem. Soc. Jpn.*, **39**, 1297 (1966), by T. Mukaiyama and Y. Kodaira.
- 67 The Reaction of 2-Cyclohexylimino-3-cyclohexyl-4,5-diphenyl-4-oxazoline. *Bull. Chem. Soc. Jpn.*, **39**, 1765 (1966), by T. Kumamoto, T. Nagaoka, and T. Mukaiyama.
- 68 The Reactions of N,N-Dimethylbenzamide Diethylmercaptole. *Bull. Chem. Soc. Jpn.*, **39**, 2005 (1966), by T. Mukaiyama and T. Yamaguchi.

- 69 A New Method for the Phosphorylation of Alcohols by Means of Bromine and Dibenzylhydrogen Phosphite. *Bull. Chem. Soc. Jpn.*, **39**, 2721 (1966), by T. Mukaiyama, H. Kouda, and K. Koderu.
- 70 The New Method for the Preparation of Enol Phosphates. The Reaction of α -Hydroxy Ketones with Triethyl Phosphite. *Tetrahedron Lett.*, **1966**, 5563, by T. Mukaiyama, T. Kumamoto, and T. Nagaoka.
- 71 Reactions of Phenyl Isocyanate with Vinyl Ethers. *Tetrahedron Lett.*, **1966**, 6247, by T. Mukaiyama, R. Yoda, and I. Kuwajima.
- 1967
- 72 A New Synthesis of Monoalkyl Phosphates. *J. Org. Chem.*, **32**, 1063 (1967), by T. Obata and T. Mukaiyama.
- 73 The Reactions of N,N,N',N'-Tetraalkylsulfurous Diamide-Phenyl Isocyanate Adducts. *J. Org. Chem.*, **32**, 3475 (1967), by T. Mukaiyama, H. Shimizu, and H. Takei.
- 74 The Ring-Opening Polymerization of Cyclic Amino-phosphinites. *Bull. Chem. Soc. Jpn.*, **40**, 147 (1967), by T. Fujisawa, Y. Yokota, and T. Mukaiyama.
- 75 The Preparation of Poly(Ethylene Carbamate). *Bull. Chem. Soc. Jpn.*, **40**, 190 (1967), by T. Fujisawa, H. Koda, and T. Mukaiyama.
- 76 Nucleophilic Reactions of Diethyl N-Phenyliminocarbonate. *Bull. Chem. Soc. Jpn.*, **40**, 337 (1967), by T. Fujisawa and T. Mukaiyama.
- 77 Preparation of Esters of Phosphoric Acid by the Reaction of Trivalent Phosphorus Compounds with Diethyl Azodicarboxylate in the Presence of Alcohols. *Bull. Chem. Soc. Jpn.*, **40**, 935 (1967), by O. Mitsunobu, M. Yamada, and T. Mukaiyama.
- 78 The Reaction of N,N-Sulfinyl-bisdialkylamines. *Bull. Chem. Soc. Jpn.*, **40**, 939 (1967), by T. Mukaiyama, H. Takei, and H. Shimizu.
- 79 Amide Mercaptol. II. The Reactions of N,N-Dimethyl-benzamide Diethylmercaptol with Some Heavy Metal Compounds. *Bull. Chem. Soc. Jpn.*, **40**, 1952 (1967), by T. Yamaguchi and T. Mukaiyama.
- 80 The Oxidations of Thiols and Their Lead Salts. *Bull. Chem. Soc. Jpn.*, **40**, 2388 (1967), by T. Mukaiyama and T. Endo.
- 81 The Preparation of 1-Dimethylamino-1-ethylthioethylene(Ketene-N,S-acetal) and Its Reactions with Some Electrophilic Reagents. *Bull. Chem. Soc. Jpn.*, **40**, 2641 (1967), by T. Mukaiyama, S. Aizawa, and T. Yamaguchi.
- 82 Preparation of N,N'-Disubstituted Piperazines from Bis(2-anilinoethyl) Phenylphosphonites. *Bull. Chem. Soc. Jpn.*, **40**, 2964 (1967), by O. Mitsunobu, T. Ohashi, M. Kikuchi, and T. Mukaiyama.
- 83 The Reactions of α -Ketosulfides with Triethyl Phosphite. *Tetrahedron Lett.*, **1967**, 2461, by T. Mukaiyama, T. Nagaoka, and S. Fukuyama.

- 84 The Reactions of Sulfur-Containing Phosphonium Salts. *Tetrahedron Lett.*, **1967**, 3429, by T. Mukaiyama and M. Ueki.
- 85 The Reactions of ω -(Phenylthio)acetophenone. *Tetrahedron Lett.*, **1967**, 3439, by T. Mukaiyama, T. Takashima, and S. Ono.
- 86 The Reaction of Allylmercuric Iodide with Acyl Halide. *Tetrahedron Lett.*, **1967**, 4281, by I. Kuwajima, K. Narasaka, and T. Mukaiyama.
- 1968
- 87 Oxidation of Phosphites by Means of p-Quinones and Benzyl Alcohol. *Bull. Chem. Soc. Jpn.*, **41**, 461 (1968), by O. Mitsunobu, K. Koderu, and T. Mukaiyama.
- 88 S-Alkylthioamidium Salt. II. The Reactions of S-Alkylthioamidium Iodides with Mercuric Compounds. *Bull. Chem. Soc. Jpn.*, **41**, 673 (1968), by T. Yamaguchi, K. Inomata, and T. Mukaiyama.
- 89 The Reactions of Isothioamides and Thioamidium Iodides. *Tetrahedron Lett.*, **1968**, 3569, by T. Mukaiyama and S. Ono.
- 90 New Methods for the Preparation of Thiovinyl Ethers and unsym-Ketones. *Tetrahedron Lett.*, **1968**, 3787, by T. Mukaiyama, S. Fukuyama, and T. Kumamoto.
- 91 Oxidation of Halomagnesium sec-Alkoxides to Ketones. *Bull. Chem. Soc. Jpn.*, **41**, 1491 (1968), by T. Mukaiyama, K. Takahashi, and I. Kuwajima.
- 92 Reactions of Mercuric Salts with Bis(diethylthiocarbamoyl) Disulfide and Benzenesulfonyl Chloride. *J. Org. Chem.*, **33**, 2242 (1968), by T. Mukaiyama, T. Endo, S. Ikenaga, and K. Osonoi.
- 93 A New Synthesis of 3-Hydroxyfurans. The Reaction of Sulfonium Ylides with Ketene Dimer. *Bull. Chem. Soc. Jpn.*, **41**, 1738 (1968), by H. Takei, M. Higo, K. Saito, and T. Mukaiyama.
- 94 The Formation and Reactions of α -Keto Sulfoxide. *Bull. Chem. Soc. Jpn.*, **41**, 2111 (1968), by T. Kumamoto and T. Mukaiyama.
- 95 A New Method for Peptide Synthesis by Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **90**, 4490 (1968), by T. Mukaiyama, M. Ueki, H. Maruyama, and R. Matsueda.
- 96 The Reactions of Esters of Amidosulfurous Acid. *Bull. Chem. Soc. Jpn.*, **41**, 1925 (1968), by H. Takei, H. Shimizu, M. Higo, and T. Mukaiyama.
- 97 A Convenient Method for the Preparation of Unsymmetrical Disulfides by the Use of Diethyl Azodicarboxylate. *Tetrahedron Lett.*, **1968**, 5907, by T. Mukaiyama and K. Takahashi.
- 98 Convenient Method for the Preparations of Carboxylic Thiolester and Acid Anhydride. *Bull. Chem. Soc. Jpn.*, **41**, 2703 (1968), by T. Mukaiyama and H. Katsuyama.

- 99 New Syntheses of Vinyl Sulfides and Unsaturated Nitriles via Quaternary Phosphonium Salts. *Bull. Chem. Soc. Jpn.*, **41**, 2742 (1968), by T. Kumamoto, K. Hosoi, and T. Mukaiyama.
- 100 A convenient Method for the Preparation of Acid Anhydrides from Metallic Carboxylates. *Bull. Chem. Soc. Jpn.*, **41**, 2746 (1968), by T. Hata, K. Tajima, and T. Mukaiyama.

1969

- 101 Reactions of (α,α -Disubstituted-Phenacyl) and (Carbethoxy-disubstituted-methyl) Triphenylphosphonium Halides with Grignard Reagents. *Tetrahedron Lett.*, **1969**, 23, by T. Mukaiyama, R. Yoda, and I. Kuwajima.
- 102 The Effects of Metal Components and Acids on Racemization in the Synthesis of Peptides by the Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **91**, 1554 (1969), by T. Mukaiyama, R. Matsueda, H. Maruyama, and M. Ueki.
- 103 The Reactions of Bivalent Sulfur Compounds-Copper(II) Complexes. *J. Am. Chem. Soc.*, **91**, 4315 (1969), by T. Mukaiyama, K. Narasaka, and H. Hokonoki.
- 104 A New Phosphorylating Reagent. I. The Preparation of Alkyl Dihydrogen Phosphates by Means of 2-Chloromethyl-4-nitrophenyl Phosphorodichloridate. *J. Am. Chem. Soc.*, **91**, 4532 (1969), by T. Hata, Y. Mushika, and T. Mukaiyama.

1970

- 105 Peptide Synthesis via Oxidation-Reduction Condensation by the Use of Non-metallic Compound as a Mercaptan Scavenger. *Bull. Chem. Soc. Jpn.*, **43**, 1271 (1970), by T. Mukaiyama, R. Matsueda, and H. Maruyama.
- 106 A Convenient Method for the Preparation of Thiols Susceptible to Oxidation. The Effect of Nitrogen on the Susceptibility to Oxidation-Reduction in Sulfur of Bivalent Sulfur Compounds. *Tetrahedron Lett.*, **1970**, 1493, by T. Endo, T. Kobayashi, and T. Mukaiyama.
- 107 Peptide Synthesis via the Oxidation-Reduction Condensation by the Use of 2,2'-Dipyridyldisulfide as an Oxidant. *Tetrahedron Lett.*, **1970**, 1901 by T. Mukaiyama, R. Matsueda, and M. Suzuki.
- 108 A Convenient Method for the Synthesis of 3,4-Furandicarboxylic Acid Derivatives by the Reactions of Sulfonium Ylides with Dimethyl Acetylenedicarboxylate. *Tetrahedron Lett.*, **1970**, 2565, by M. Higo and T. Mukaiyama.
- 109 The Reactions of Sulfur Ylides with Cyclic Carboxyl Compounds and Isocyanates. *Bull. Chem. Soc. Jpn.*, **43**, 2566 (1970), by T. Mukaiyama, M. Higo, and H. Takei.
- 110 The Condensation Reactions of Bivalent Sulfur Compounds-Copper(II) Complexes with Nucleophiles. *Bull. Chem. Soc. Jpn.*, **43**, 2549 (1970), by T. Mukaiyama, K. Narasaka, K. Maekawa, and H. Hokonoki.
- 111 A Convenient Method for the Preparation of Thiolesters. *Bull. Chem. Soc. Jpn.*, **43**, 2632 (1970), by T. Endo, S. Ikenaga, and T. Mukaiyama.

- 112 A New Phosphorylating Reagent. II. Preparation of Mixed Diesters of Phosphoric Acid by the Use of Alkyl 2-Chloromethyl-4-nitrophenyl Hydrogen Phosphates. *Tetrahedron Lett.*, 1970, 3505, by T. Hata, Y. Mushika, and T. Mukaiyama.
- 113 The Reactions of Phosphonium Ylides and Oxosulfonium Methylide with Sulfenamide Derivatives. *Bull. Chem. Soc. Jpn.*, **43**, 2870 (1970), by T. Mukaiyama, T. Kumamoto, S. Fukuyama, and T. Taguchi.
- 114 A Convenient Method for the Preparation of Primary Alkylamines by the Use of Bisbenzenesulfenimide. *Tetrahedron Lett.*, **1970**, 3411, by T. Mukaiyama and T. Taguchi.
- 115 2-Hydroxy-3-oxo-2,3-dihydrofuran-2-carboxylic Ester: The Oxidation Product of 3-Hydroxyfuran-2-carboxylic Ester. *Bull. Chem. Soc. Jpn.*, **43**, 3607 (1970), by H. Takei and T. Mukaiyama.
- 116 The Reactions of Bivalent Sulfur Compounds-Copper(II) Complexes: The Benzylolation of Aromatic Compounds with Benzyl Sulfides. *Tetrahedron Lett.*, **1970**, 4669, by T. Mukaiyama, K. Maekawa, and K. Narasaka.
- 117 The Sulfenylation of the Active Methylene Compounds by the Use of Sulfenamides. *Tetrahedron Lett.*, **1970**, 5115, by T. Mukaiyama, S. Kobayashi, and T. Kumamoto.
- 118 A New Method for the Preparation of Active Esters of Various Amino Acids by Oxidation-Reduction Condensation. *Tetrahedron Lett.*, **1970**, 5293, by T. Mukaiyama, K. Goto, R. Matsueda, and M. Ueki.
- 119 The Ring Expansion of a Cyclic Sulfonium Ylide through a 1,3-Acyl Rearrangement. *Tetrahedron Lett.*, **1970**, 5297, by T. Mukaiyama and M. Higo.

1971

- 120 The Reactions of α -Substituted Carbonyl-stabilized Sulfonium Ylides with Succinic Anhydride. *Bull. Chem. Soc. Jpn.*, **44**, 161 (1971), by T. Mukaiyama, K. Hagio, H. Takei, and K. Saigo.
- 121 Reactions of Sulfonium and Pyridinium Salts with Alkyl Nitrite. *Bull. Chem. Soc. Jpn.*, **44**, 190 (1971), by T. Mukaiyama, K. Saigo, and H. Takei.
- 122 Phosphorylation of Alcohols and Phosphates by Oxidation-Reduction Condensation. *Bull. Chem. Soc. Jpn.*, **44**, 196 (1971), by T. Mukaiyama and M. Hashimoto.
- 123 A New Phosphorylating Reagent. III. Preparation of Mixed Diesters of Phosphoric Acid by the Use of an Activatable Protecting Group. *Bull. Chem. Soc. Jpn.*, **44**, 232 (1971), by Y. Mushika, T. Hata, and T. Mukaiyama.
- 124 The Reactions of Thioboronite. *Tetrahedron Lett.*, **1971**, 1097, by T. Mukaiyama, K. Inomata, and S. Yamamoto.
- 125 Peptide Synthesis by Oxidation-Reduction Condensation. I. Use of NPS-Peptides as Amino Component. *Bull. Chem. Soc. Jpn.*, **44**, 1108 (1971), by M. Ueki, H. Maruyama, and T. Mukaiyama.

- 126 Peptide Synthesis by Oxidation-Reduction Condensation. II. The Use of Disulfide as an Oxidant. *Bull. Chem. Soc. Jpn.*, **44**, 1373 (1971), by R. Matsueda, H. Maruyama, M. Ueki, and T. Mukaiyama.
- 127 Intermolecular Association through Hydrogen Bonding. Syntheses and Infrared Studies of Acylurea Derivatives. *Tetrahedron Lett.*, **1971**, 2291, by T. Mukaiyama, T. Endo, and S. Noguchi.
- 128 Phosphorylation by Oxidation-Reduction Condensation: Preparation and Reaction of S-(2-Pyridyl) Phosphorothioates. *Tetrahedron Lett.*, **1971**, 2425, by T. Mukaiyama and M. Hashimoto.
- 129 Phosphorylation by Oxidation-Reduction Condensation. Preparation of Active Phosphorylating Reagents. *Bull. Chem. Soc. Jpn.*, **44**, 2284, (1971), by T. Mukaiyama and M. Hashimoto.
- 130 A Useful Method for Reductive Fission of Sulfides and Its Application to Carbon-Carbon Bond Formation. *Bull. Chem. Soc. Jpn.*, **44**, 2285 (1971), by T. Mukaiyama, K. Narasaka, K. Maekawa, and M. Furusato.
- 131 A Novel Method for Spiro Annulation. Reaction of Cyclic Sulfonium Ylides with Ketene Dimer. *Tetrahedron Lett.*, **1971**, 3697, by T. Mukaiyama, M. Higo, and T. Sakashita.
- 132 The Reaction of β -Ketosulfonium Salts with Sulfenamide Derivatives. *Bull. Chem. Soc. Jpn.*, **44**, 2453 (1971), by T. Mukaiyama, K. Hosoi, S. Inokuma, and T. Kumamoto.
- 133 A Convenient Method for the Preparation of Primary Amines by the Use of Bisbenzenesulfenimide and Bis-*p*-chlorophenyl-sulfenimide. *Bull. Chem. Soc. Jpn.*, **44**, 2797 (1971), by T. Mukaiyama, T. Taguchi, and M. Nishi.
- 134 The Reactions of Complexes of Thioboronite with Compounds Containing Carbon-Nitrogen Multiple Bond. *Bull. Chem. Soc. Jpn.*, **44**, 2807 (1971), by T. Mukaiyama, S. Yamamoto, and K. Inomata.
- 135 A Simple Protecting Group Protection-Purification "Handle" for Polynucleotide Synthesis. I. *J. Am. Chem. Soc.*, **93**, 4928 (1971), by T. Hata, K. Tajima, and T. Mukaiyama.
- 136 Reaction of Thioboronite. A Convenient Method for the Preparation of α -Hydroxyalkanethioates. *Bull. Chem. Soc., Jpn.*, **44**, 3215 (1971), by T. Mukaiyama and K. Inomata.
- 137 The Reactions of Pyridinium Bromides with Sulfenamides. *Bull. Chem. Soc. Jpn.*, **44**, 3077 (1971), by T. Mukaiyama and K. Saigo.
- 138 Syntheses and Reactions of 2-Ethylthio- or 2-Phenylthio-2-cycloalkenones, *Bull. Chem. Soc. Jpn.*, **44**, 3155 (1971), by T. Mukaiyama, T. Adachi, and T. Kumamoto.
- 139 Syntheses of Acylurea Derivatives and Model Compounds for a Highly Specific Organic Reaction. *Bull. Chem. Soc. Jpn.*, **44**, 3424 (1971), by T. Endo, S. Noguchi, and T. Mukaiyama.

- 140 Ring Expansion through a 1,3-Acyl Rearrangement. Reactions of Cyclic Sulfonium Ylides with Acetylenic Compounds. *Bull. Chem. Soc. Jpn.*, **45**, 250 (1972), by M. Higo, T. Sakashita, M. Toyoda, and T. Mukaiyama.
- 141 Formation of Ethylenic Compounds by the Decomposition of Cuprated Sulfur Compounds. *Bull. Chem. Soc. Jpn.*, **45**, 652 (1972), by T. Mukaiyama, K. Narasaka, and M. Furusato.
- 142 A Convenient Method for the Synthesis of Cyclopentenones. *Chem. Lett.*, **1972**, 237, by T. Mukaiyama, S. Kobayashi, K. Kamio, and H. Takei.
- 143 Selective Carbon-Carbon Bond Forming Reaction by the Use of Allyl 2-Pyridyl Sulfide Derivatives-Total Synthesis of α -cis-Bergamotene. *Chem. Lett.*, **1972**, 259, by K. Narasaka, M. Hayashi, and T. Mukaiyama.
- 144 Sulfenylation of Active Methylene Compounds with Sulfenamides. *Bull. Chem. Soc. Jpn.*, **45**, 866 (1972), by T. Kumamoto, S. Kobayashi, and T. Mukaiyama.
- 145 Dehydration and Alkylation Reactions by the Use of Perchlorate Salts. *Chem. Lett.*, **1972**, 287, by T. Mukaiyama, M. Kuwahara, T. Izawa, and M. Ueki.
- 146 A Convenient Synthesis of Symmetrical and Unsymmetrical Biphenyls by the Oxidation of N-Aryl-N'-(tri-*n*-butylstannyl)hydrazines, *Bull. Chem. Soc. Jpn.*, **45**, 967 (1972), by H. Ishikawa and T. Mukaiyama.
- 147 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. Attachment of Various Amino Acids and Peptide Fragments to the Hydroxymethyl Resin. *Chem. Lett.*, **1972**, 379, by R. Matsueda, E. Kitazawa, H. Maruyama, H. Takahagi, and T. Mukaiyama.
- 148 $\text{AgClO}_4\text{-SnCl}_4$ as an Effective Catalyst in the Friedel-Crafts Alkylation, *Chem. Lett.*, **1972**, 443, by T. Mukaiyama, M. Ueki, T. Izawa, and M. Kuwahara.
- 149 A Convenient Synthesis of 4-Dimethylsulfuranylidene-2,3-dioxo-tetrahydrofuran Derivatives; The Reactions of Ethyl (Dimethylsulfuranylidene)pyruvate with Carbonyl Compounds. *Chem. Lett.*, **1972**, 553, by K. Hagio, H. Takei, and T. Mukaiyama.
- 150 A Total Synthesis of Coenzyme A by Oxidation-Reduction Condensation. *Chem. Lett.*, **1972**, 595, by M. Hashimoto and T. Mukaiyama.
- 151 The Reaction of Trialkylboron and α -Lithiobenzyl-2-pyridyl or Phenylsulfide. A Convenient Method for the Preparation of Alkylbenzenes. *Bull. Chem. Soc. Jpn.*, **45**, 2244 (1972), by T. Mukaiyama, S. Yamamoto, and M. Shiono.
- 152 Selective Formation of Symmetrical Bissulfides. *J. Am. Chem. Soc.*, **94**, 7575 (1972), by T. Mukaiyama, T. Endo, Y. Kojima, and T. Sato.
- 153 Synthesis of Oligothymidylates and Nucleoside Cyclic Phosphates by Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **94**, 8528 (1972), by T. Mukaiyama and M. Hashimoto.
- 154 Convenient Synthesis of 1,4-Diketones. Application to the Synthesis of Dihydrojasnone. *J. Am. Chem. Soc.*, **94**, 8641 (1972), by T. Mukaiyama, K. Narasaka, and M. Furusato.

- 155 A Convenient Method for the Hydrolysis of Vinyl Sulfides to Ketones. *Bull. Chem. Soc. Jpn.*, **45**, 3723 (1972), by T. Mukaiyama, K. Kamio, S. Kobayashi, and H. Takei.
- 156 A Convenient Method for Hydrolysis of 1,3-Dithiane Derivatives Using Cupric Chloride. *Bull. Chem. Soc. Jpn.*, **45**, 3724 (1972), by K. Narasaka, T. Sakashita, and T. Mukaiyama.

1973

- 157 A Convenient Method for the Syntheses of Benzyl N-Mono-alkylcarbamates and N-Benzoyloxycarbonylamino Acids. *Chem. Lett.*, **1973**, 1, by T. Taguchi and T. Mukaiyama.
- 158 A Convenient Method for the Hydrolysis of Vinyl Chlorides to Ketones. *Chem. Lett.*, **1973**, 261, by T. Mukaiyama, T. Imamoto, and S. Kobayashi.
- 159 A Convenient Method for the Reduction of Sulfides and Vinylic or Aromatic Halides by Using TiCl_4 and LiAlH_4 . *Chem. Lett.*, **1973**, 291, by T. Mukaiyama, M. Hayashi, and K. Narasaka.
- 160 Vinyloxyboranes as Synthetic Intermediates. *J. Am. Chem. Soc.*, **95**, 967 (1973), by T. Mukaiyama, K. Inomata, and M. Muraki.
- 161 New Solid 1:1 Complexes of Acylurea Derivatives, *Tetrahedron. Lett.*, **1973**, 1069, by T. Endo, T. Sato, and T. Mukaiyama.
- 162 Addition Reaction of Thiol to Olefin by the Use of TiCl_4 . *Chem. Lett.*, **1973**, 355, by T. Mukaiyama, T. Izawa, K. Saigo, and H. Takei.
- 163 The Transformation of Nitriles into Amides by the Use of TiCl_4 . *Chem. Lett.*, **1973**, 357, by T. Mukaiyama, K. Kamio, S. Kobayashi, and H. Takei.
- 164 A Convenient Method for the Preparation of Vinyl Sulfides from Carbonyl Compounds by Using TiCl_4 . *Chem. Lett.*, **1973**, 479, by T. Mukaiyama and K. Saigo.
- 165 A Convenient Synthesis of Dinucleotides by Oxidation-Reduction Condensation Using Nucleoside 5'-Phosphoro-dianilidates. *Chem. Lett.*, **1973**, 513, by M. Hashimoto and T. Mukaiyama.
- 166 Reactions of Vinyloxyboranes. A Convenient Method for the Preparation of β -Hydroxy Thioesters, Esters and Ketones. *Bull. Chem. Soc. Jpn.*, **46**, 1807 (1973), by K. Inomata, M. Muraki, and T. Mukaiyama.
- 167 A Convenient Method for the Hydrolysis of Vinyl Chlorides to Ketones. *Chem. Lett.*, **1973**, 715, by T. Mukaiyama, T. Imamoto, and S. Kobayashi.
- 168 Peptide Synthesis by Oxidation-Reduction Condensation by Use of Triarylphosphite as Reducing Reagent. *Chem. Lett.*, **1973**, 733, by M. Ueki, T. Shishikura, A. Hayashida, and T. Mukaiyama.
- 169 Reaction of S-(2-Pyridyl) Thioates with Grignard Reagents. A Convenient Method for the Preparation of Ketones. *J. Am. Chem. Soc.*, **95**, 4763 (1973), by T. Mukaiyama, M. Araki, and H. Takei.

- 170 The Reaction of Trialkylboranes with the α -Lithio Derivatives of Bis(phenylthio)methane and of 1,1-Bis(phenylthio)pentane. A Convenient Method for the Preparation of Aldehydes and Ketones. *Chem. Lett.*, **1973**, 961, by S. Yamamoto, M. Shiono, and T. Mukaiyama.
- 171 New Aldol Type Reaction. *Chem. Lett.*, **1973**, 1011, by T. Mukaiyama, K. Narasaka, and K. Banno.
- 172 Reductive Coupling of Carbonyl Compounds to Pinacols and Olefins by Using TiCl_4 and Zn. *Chem. Lett.*, **1973**, 1041, by T. Mukaiyama, T. Sato, and J. Hanna.
- 173 The Stereospecific Preparation of Trisubstituted Olefins. *Chem. Lett.*, **1973**, 1097, by S. Kobayashi, H. Takei, and T. Mukaiyama.
- 174 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. Synthesis of LH-RH by Fragment Condensation of Solid Support. *Bull. Chem. Soc. Jpn.*, **46**, 3240 (1973), by R. Matsueda, H. Maruyama, E. Kitazawa, H. Takahagi, and T. Mukaiyama.
- 175 The Activation of Bivalent Sulfur Compounds with Cupric Chloride and Zinc Chloride. The Benzoylation and Acylation of Aromatic Compounds with Sulfides and Thiol Esters. *Bull. Chem. Soc. Jpn.*, **46**, 3478 (1973), by K. Maekawa, K. Narasaka, and T. Mukaiyama.
- 176 The Effect of Weak Molecular Interactions on Selective Formation of Unsymmetrical Bissulfides. *Chem. Lett.*, **1973**, 1201, by T. Endo, T. Sato, S. Sato, and T. Mukaiyama.
- 177 A Convenient Method for the Syntheses of Benzyl N-Alkyl-cyanocarbamates and N-Monoalkylisothioureas. *Chem. Lett.*, **1973**, 1225, by T. Taguchi, Y. Sato, and T. Mukaiyama.
- 178 Reactions of 2-Alkyl-2-lithio-1,3-dithianes with Pyridine. *Chem. Lett.*, **1973**, 1307, by T. Taguchi, M. Nishi, K. Watanabe, and T. Mukaiyama.

1974

- 179 New Syntheses of β -Alkoxy Ketones and α -Keto Acetals. *Chem. Lett.*, **1974**, 15, by T. Mukaiyama and M. Hayashi.
- 180 A Convenient Method for the Preparation of Vinyl Sulfides and Olefins by the Use of TiCl_4 and Zn. *Chem. Lett.*, **1974**, 37, by T. Mukaiyama, M. Shiono, and T. Sato.
- 181 The Reaction of Trimethylsilyl Sulfides with Carboxylic Esters. A Convenient Method for the Preparation of Thiolesters. *Chem. Lett.*, **1974**, 187, by T. Mukaiyama, T. Takeda, and K. Atsumi.
- 182 A Convenient Method for the Preparation of β -Hydroxy Thiolesters and Esters. *Chem. Lett.*, **1974**, 245, by K. Inomata, T. Kawahara, and T. Mukaiyama.
- 183 Reaction of Enol Acetate with Acetal and Carbonyl Compound in the Presence of Lewis Acid. *Chem. Lett.*, **1974**, 323, by T. Mukaiyama, T. Izawa, and K. Saigo.

- 184 A Convenient Method for the Synthesis of γ -Substituted- β -acetyl- γ -butyrolactones. *Chem. Lett.*, **1974**, 381, by T. Mukaiyama, J. Hanna, T. Inoue, and T. Sato.
- 185 A Convenient Method for the Syntheses of 2(1H)-Imidazolone Derivatives. *Chem. Lett.*, **1974**, 401, by T. Taguchi, Y. Sato, K. Watanabe, and T. Mukaiyama.
- 186 Facile Conversion of Thioesters into Thiols Using Cysteamine. *Chem. Lett.*, **1974**, 443, by T. Endo, K. Oda, and T. Mukaiyama.
- 187 Synthetic Control by Means of Selective Intermolecular Association. Specific Synthesis of Unsymmetrical or of Symmetrical Sulfides. *Tetrahedron Lett.*, **1974**, 1195, by T. Endo, S. Sato, and T. Mukaiyama.
- 188 Reaction of Vinyl Sulfides with Aldehydes in the Presence of Lewis Acids. *Chem. Lett.*, **1974**, 565, by T. Mukaiyama, K. Kamio, and K. Narasaka.
- 189 Reaction of Mixed Carboxylic Anhydrides with Grignard Reagents. A Useful Method for the Preparation of ketones. *Chem. Lett.*, **1974**, 663, by M. Araki and T. Mukaiyama.
- 190 Reaction of Mixed Carboxylic Anhydrides with Grignard Reagents. A Convenient Method for the Preparation of 1,4- or 1,6-Diketones. *Chem. Lett.*, **1974**, 687, by M. Araki, S. Sakata, H. Takei, and T. Mukaiyama.
- 191 Reaction of Vinyloxytin. A New Method for the Preparation of β -Hydroxyalkanoate. *Chem. Lett.*, **1974**, 689, by E. Shimada, K. Inomata, and T. Mukaiyama.
- 192 The Highly Stereoselective Synthesis of Ethyl Geranate. *Chem. Lett.*, **1974**, 705, by S. Kobayashi and T. Mukaiyama.
- 193 Biotin Synthesis. I. Synthesis of 4-(4-Carboxybutyl)-1,2-dihydrothieno[3,4-d]imidazol-2-one. *Chem. Lett.*, **1974**, 729, by T. Taguchi, Y. Sato, K. Watanabe, and T. Mukaiyama.
- 194 A Convenient Method for the Preparation of Ketones by the Reaction of Grignard Reagents with Carboxylic Acid Derivatives. *Bull. Chem. Soc. Jpn.*, **47**, 1777 (1974), by M. Araki, S. Sakata, H. Takei, and T. Mukaiyama.
- 195 The Reaction of Trimethylsilyl Sulfides with α,β -Unsaturated Acetals. A Convenient Method for the Preparation of γ -Alkoxyallyl Sulfides. *Chem. Lett.*, **1974**, 1013, by T. Mukaiyama, T. Takeda, and K. Atsumi.
- 196 A Convenient Method for the Preparation of Allyl Ethers — The Reaction of α,β -Unsaturated Acetals with Grignard Reagents Activated by Titanium Tetrachloride. *Chem. Lett.*, **1974**, 1077, by T. Mukaiyama and H. Ishikawa.
- 197 A Convenient Method for the Preparation of Styrene Derivatives by the Use of TiCl_4 and Zn. *Chem. Lett.*, **1974**, 1161, by S. Song, M. Shiono, and T. Mukaiyama.
- 198 A Convenient Synthesis of the Antibiotic Botryodiplodin. *Chem. Lett.*, **1974**, 1181, by T. Mukaiyama, M. Wada, and J. Hanna.
- 199 A Convenient Method for the Synthesis of δ -Alkoxy- β -ketoester. The Titanium Tetrachloride-Activated Reaction of Diketene with Acetal. *Chem. Lett.*, **1974**, 1189, by T. Izawa and T. Mukaiyama.

- 200 The New Michael Reaction. *Chem. Lett.*, **1974**, 1223, by K. Narasaka, K. Soai, and T. Mukaiyama.
- 201 The Stereospecific Preparation of Methyl Farnesoate and Synthetic Precursors of C₁₈- and C₁₇ Juvenile Hormones. *Chem. Lett.*, **1974**, 1425, by S. Kobayashi and T. Mukaiyama.
- 202 Aminoaluminum Hydride as New Reducing Agents. I. Selective Reduction of Carboxylic Acids to Aldehydes. *Chem. Lett.*, **1974**, 1447, by M. Muraki and T. Mukaiyama.
- 203 A Convenient Method for the Synthesis of α -Alkoxy-carboxamide Derivatives. *Chem. Lett.*, **1974**, 1457, by T. Mukaiyama, K. Watanabe, and M. Shiono.
- 204 Reductive Elimination of β -Benzoyloxy Sulfides by the Use of TiCl₄-Zn. A Convenient Method for Ketone Methylenation. *Chem. Lett.*, **1974**, 1523, by T. Mukaiyama, Y. Watanabe, and M. Shiono.
- 205 New Cross-Aldol Reactions. Reactions of Silyl Enol Ethers with Carbonyl Compounds Activated by Titanium Tetrachloride. *J. Am. Chem. Soc.*, **96**, 7503 (1974), by T. Mukaiyama, K. Banno, and K. Narasaka.

1975

- 206 A New Method for the Oxidation of Alcohol to Carbonyl Compound. *Chem. Lett.*, **1975**, 145, by K. Saigo, A. Morikawa, and T. Mukaiyama.
- 207 A Convenient Method for the Preparation of α -Hydroxy- β -Ketoesters and 6-Alkyl-5,6-dihydro-4-hydroxy-2-pyrones. Application to the Syntheses of Kawain and Dihydrokawain. *Chem. Lett.*, **1975**, 161, by T. Izawa and T. Mukaiyama.
- 208 Aminoaluminum Hydride as New Reducing Agents. II. Selective Reduction of Esters of Carboxylic Acids to Aldehydes. *Chem. Lett.*, **1975**, 215, by M. Muraki and T. Mukaiyama.
- 209 A New Method for the Preparation of Unsymmetrical Ethers. The Reaction of Alkyl 2,4-Dichlorophenyl Acetals with Grignard Reagents Activated by TiCl₄. *Chem. Lett.*, **1975**, 305, by H. Ishikawa and T. Mukaiyama.
- 210 A Convenient Method for the Preparation of δ -Alkoxy- α,β -unsaturated Aldehydes by Reaction of Acetals with 1-Trimethylsiloxy-1,3-butadiene. *Chem. Lett.*, **1975**, 319, by T. Mukaiyama and A. Ishida.
- 211 A Convenient Method for the Synthesis of Furan Derivatives. *Chem. Lett.*, **1975**, 527, by T. Mukaiyama, H. Ishihara, and K. Inomata.
- 212 A Convenient Method for the Synthesis of 2-(1-Alkenyl)-2-cyclopentenones. *Chem. Lett.*, **1975**, 531, by H. Ishihara, K. Inomata, and T. Mukaiyama.
- 213 The Stereoselective Synthesis of C₁₈-Juvenile Hormone Analogue. *Chem. Lett.*, **1975**, 535, by T. Mukaiyama, H. Toda, and S. Kobayashi.

- 214 The Reaction of Enol Ethers with Aldehydes Promoted by Titanium Tetraisopropoxide and Titanium Tetrachloride. *Chem. Lett.*, **1975**, 569, by E. Kitazawa, T. Imamura, K. Saigo, and T. Mukaiyama.
- 215 Reduction of Azobenzene and Benzyldeneaniline by the Combined Use of Copper and N,N-Diethyldithiocarbamic Acid. *Chem. Lett.*, **1975**, 637, by T. Sato, T. Inoue, and T. Mukaiyama.
- 216 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **97**, 2573 (1975), by R. Matsueda, H. Maruyama, E. Kitazawa, H. Takahagi, and T. Mukaiyama.
- 217 The Oxidation of Alcohols to Carbonyl Compounds via Alkoxy-magnesium Bromides. *Chem. Lett.*, **1975**, 691, by T. Mukaiyama, M. Tsunoda, and K. Saigo.
- 218 A Convenient Method for the Preparation of gem-Dichlorocyclopropane Derivatives by the Use of TiCl_4 and LiAlH_4 . *Chem. Lett.*, **1975**, 711, by T. Mukaiyama, M. Shiono, K. Watanabe, and M. Onaka.
- 219 New Cross Aldol Reactions. The Reactions of Silyl Enol Ethers with Keto Esters Promoted by Titanium Tetrachloride. *Chem. Lett.*, **1975**, 741, by K. Banno and T. Mukaiyama.
- 220 A Convenient Method for Methylenation of Carbonyl Compounds. The Reductive β -Elimination of 2-(Phenylthio)-ethanols into Terminal Olefines Using TiCl_4 - LiAlH_4 . *Chem. Lett.*, **1975**, 871, by Y. Watanabe, M. Shiono, and T. Mukaiyama.
- 221 Aminoaluminum Hydride as New Reducing Agents. III. Selective Reduction of Carboxamides to Aldehydes. *Chem. Lett.*, **1975**, 875, by M. Muraki and T. Mukaiyama.
- 222 A New Method for the Preparation of β -Hydroxyesters. The Titanium Tetrachloride-Promoted Reaction of Ketene Alkyl Trialkylsilyl Acetals with Carbonyl Compounds. *Chem. Lett.*, **1975**, 989, by K. Saigo, M. Osaki, and T. Mukaiyama.
- 223 A New Method for the Preparation of α -Diketones by the Photo-oxidation of β -Ketoalkylpyridinium iodides. *Chem. Lett.*, **1975**, 1033, by T. Mukaiyama, K. Atsumi, and T. Takeda.
- 224 The Claisen Rearrangement Promoted by Titanium Tetrachloride. *Chem. Lett.*, **1975**, 1041, by K. Narasaka, E. Bald, and T. Mukaiyama.
- 225 A Convenient Method for the Synthesis of Carboxylic Esters. *Chem. Lett.*, **1975**, 1045, by T. Mukaiyama, M. Usui, E. Shimada, and K. Saigo.
- 226 A Convenient Method for the Preparation of Unsymmetrical Ethers and Its Application to the Synthesis of Rose Oxide and Dihydro Rose Oxide. *Chem. Lett.*, **1975**, 1051, by H. Ishikawa, S. Ikeda, and T. Mukaiyama.
- 227 A Novel Method for the Preparation of Various 2-Pyridyl Sulfides from Alcohols. *Chem. Lett.*, **1975**, 1159, by T. Mukaiyama, S. Ikeda, and S. Kobayashi.

- 228 A Facile Synthesis of Carboxamides by Using 1-Methyl-2-halopyridinium Iodides as Coupling Reagents. *Chem. Lett.*, **1975**, 1163, by E. Bald, K. Saigo, and T. Mukaiyama.
- 229 New Method for the Preparation of Polyenals from δ -Alkoxy- α , β -unsaturated Aldehydes. *Chem. Lett.*, **1975**, 1167, by A. Ishida and T. Mukaiyama.
- 230 A New Synthesis of Vitamin A. *Chem. Lett.*, **1975**, 1201, by T. Mukaiyama and A. Ishida.
- 231 Reactions of Vinyloxyboranes with Carbonyl Compounds, Nitriles, and Formates. *Bull. Chem. Soc. Jpn.*, **48**, 3200 (1975), by M. Muraki, K. Inomata, and T. Mukaiyama.

1976

- 232 Betaine as an Effective Acid Captor: A Convenient Method for the Synthesis of Carboxylic Esters. *Chem. Lett.*, **1976**, 13, by T. Mukaiyama, H. Toda, and S. Kobayashi.
- 233 The Facile Synthesis of Lactones. *Chem. Lett.*, **1976**, 49, by T. Mukaiyama, M. Usui, and K. Saigo.
- 234 Betaine as an Effective Acid Captor: A Convenient Method for the Synthesis of Carboxamides. *Chem. Lett.*, **1976**, 57, by T. Mukaiyama, Y. Aikawa, and S. Kobayashi.
- 235 Regiospecific Aldol Synthesis. The Generation of Active Enolates by the Reduction of 2,2,2-Trichloroethyl Esters of α -Substituted- β -Keto Acids with Zn. *Chem. Lett.*, **1976**, 95, by T. Mukaiyama, T. Sato, S. Suzuki, T. Inoue, and H. Nakamura.
- 236 S,S-Di-2-Pyridyl Dithiolophosphate as a Key Intermediate in the Phosphorylation by Oxidation-Reduction Condensation. *Chem. Lett.*, **1976**, 157, by M. Hashimoto, M. Ueki, and T. Mukaiyama.
- 237 The Michael Type Reaction of O-Silylated Ketene Acetals with α , β -Unsaturated Carbonyl Compounds Promoted by Titanium Tetrachloride. *Chem. Lett.*, **1976**, 163, by K. Saigo, M. Osaki, and T. Mukaiyama.
- 238 2-Halo-3-ethylbenzothiazolium Salts as Reactive Coupling Reagents. *Chem. Lett.*, **1976**, 267, by T. Mukaiyama and K. Hojo.
- 239 The Michael Reaction of Silyl Enol Ethers with α , β -Unsaturated Ketones and Acetals in the Presence of Titanium Tetraalkoxide and Titanium Tetrachloride. *Bull. Chem. Soc. Jpn.*, **49**, 779 (1976), by K. Narasaka, K. Soai, Y. Aikawa, and T. Mukaiyama.
- 240 Stereoselective Synthesis of Optically Active Manicones: Alarm Pheromone of Ant. *Chem. Lett.*, **1976**, 279, by K. Banno and T. Mukaiyama.
- 241 A Convenient Method for the Preparation of Carboxylic Acid Fluorides. *Chem. Lett.*, **1976**, 303, by T. Mukaiyama and T. Tanaka.
- 242 A New Method for the Preparation of α -Keto Carboxylic Esters by the Photo-oxidation of 1-(1-Ethoxycarbonylalkyl)-pyridinium Iodides. *Chem. Lett.*, **1976**, 347, by T. Takeda and T. Mukaiyama.

- 243 A Convenient Method for the Transformation of Alcohols to Alkyl Iodides Using 2-Fluoropyridinium Salt. *Chem. Lett.*, **1976**, 373, by S. Kobayashi, M. Tsutsui, and T. Mukaiyama.
- 244 Synthesis of Unsymmetrical Ketones by the Reduction of 2-Alkoxy-pyridinium Salts Formed from α -Hydroxy Ketones (Acylolins) with Sodium Hydrosulfite. *Chem. Lett.*, **1976**, 381, by M. Wada, M. Imaoka, and T. Mukaiyama.
- 245 Pyrimidone Derivatives as Effective Acid Captors. A Method for the Preparation of Carboxamides. *Heterocycles*, **4**, 1707 (1976), by E. Bald, S. Kobayashi, and T. Mukaiyama.
- 246 A Convenient Method for the Reduction of 1-(2-Oxoalkyl)-pyridinium Salts. *Chem. Lett.*, **1976**, 477, by T. Takeda and T. Mukaiyama.
- 247 A Convenient Synthesis of β -Acetyl- γ -substituted- γ -butyro-lactones and γ -Acetyl- δ -substituted- δ -valerolactones. *Bull. Chem. Soc. Jpn.*, **49**, 1055 (1976), by T. Sato, J. Hanna, H. Nakamura, and T. Mukaiyama.
- 248 A New Synthesis of the Pungent Principles of Ginger — Zingerone, Gingerol and Shogaol —. *Bull. Chem. Soc. Jpn.*, **49**, 1453 (1976), by K. Banno and T. Mukaiyama.
- 249 A Facile Method for the Oxidation of Alcohols. *Bull. Chem. Soc. Jpn.*, **49**, 1656 (1976), by K. Saigo, A. Morikawa, and T. Mukaiyama.
- 250 New Cross-Aldol Reaction via Vinyloxyboranes. *Chem. Lett.*, **1976**, 559, by T. Mukaiyama and T. Inoue.
- 251 Reaction of Pyridinium Ylides with Diethyl Azodicarboxylate — A Facile Synthesis of π^2 -1,3,4-Oxadiazolines —. *Chem. Lett.*, **1976**, 597, by T. Mukaiyama, K. Atsumi, and T. Takeda.
- 252 Synthesis of Alkyl Halides from Alcohols by the Reaction with 2-Alkoxy-3-ethyl Benzothiazolium Salts. *Chem. Lett.*, **1976**, 619, by K. Hojo and T. Mukaiyama.
- 253 A Convenient Method for the Preparation of N-Acyl Lactams. *Chem. Lett.*, **1976**, 711, by A. Ishida, T. Bando, and T. Mukaiyama.
- 254 A Convenient Method for the Preparation of Olefins by Reductive Demethoxylation of Allyl Methyl Ethers Using $\text{TiCl}_4\text{-LiAlH}_4$. *Chem. Lett.*, **1976**, 737, by H. Ishikawa and T. Mukaiyama.
- 255 A Facile Synthesis of Carboxylic Thiol Esters from Carboxylic Acids and Thiols. *Chem. Lett.*, **1976**, 741, by Y. Watanabe, S. Shoda, and T. Mukaiyama.
- 256 The Titanium Tetrachloride-promoted Reaction of Ketene Alkyl Trialkylsilyl Acetals with Acetals or an Orthoformate. *Chem. Lett.*, **1976**, 769, by K. Saigo, M. Osaki, and T. Mukaiyama.
- 257 New Method for Ketone Synthesis. *Chem. Lett.*, **1976**, 771, by K. Saigo, K. Kawata, and T. Mukaiyama.

- 258 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. Synthesis of Adrenocorticotropin(1-24) by Chain Elongation at the Carboxyl End on Solid Support. *Bull. Chem. Soc. Jpn.*, **49**, 2259 (1976), by H. Maruyama, R. Matsueda, E. Kitazawa, H. Takahagi, and T. Mukaiyama.
- 259 Optical Interconversion of Enantiomeric Secondary Alcohols Using 2-Fluorobenzothiazolium Salt. *Chem. Lett.*, **1976**, 893, by T. Mukaiyama and K. Hojo.
- 260 New Synthesis of g-Ionone. *Chem. Lett.*, **1976**, 1033, by T. Mukaiyama, K. Saigo, and O. Takazawa.
- 261 Synthetic Control Based on 2-Halopyridinium Salts I. The Preparation of (R)- and (S)-2-chloro-1-(1-cyclohexylethyl)-3-ethyl-6-methylpyridinium Fluoroborate. *Chem. Lett.*, **1976**, 1041, by M. Shiono, T. Shibamura, and T. Mukaiyama.
- 262 A Convenient Method for the Preparation of Symmetrical Polyolefins. Synthesis of β -Carotene. *Chem. Lett.*, **1976**, 1127, by A. Ishida and T. Mukaiyama.
- 263 The Reaction of 2-Fluoropyridinium Salt with Nerol and Geraniol. Non-Enzymic Biogeneticlike Cyclization to Limonene. *Chem. Lett.*, **1976**, 1137, by S. Kobayashi, M. Tsutsui, and T. Mukaiyama.
- 264 Lewis Acid-Promoted Reaction of 2-Alkoxy-3,5-dinitropyridines with Thiols. A New Method for the Synthesis of Unsymmetrical Sulfides. *Chem. Lett.*, **1976**, 1177, by T. Mukaiyama, T. Masui, and T. Izawa.
- 265 2-Dialkylaminopyridinium Salts as New Type of Catalysts in Two-Phase Alkylation Reaction. *Chem. Lett.*, **1976**, 1259, by T. Tanaka and T. Mukaiyama.
- 266 A Facile Method for the Beckmann Rearrangement Using 2-Fluoropyridinium Salt or 2-Chloropyrimidinium Salt. *Chem. Lett.*, **1976**, 1397, by M. Shiono, Y. Echigo, and T. Mukaiyama.

1977

- 267 New Synthetic Reactions Based on 1-Methyl-2-fluoropyridinium Salts. Facile Conversion of Alcohols to Thioalcohols. *Chem. Lett.*, **1977**, 133, by K. Hojo, H. Yoshino, and T. Mukaiyama.
- 268 New Directed Cross-Aldol Reaction Using 9-Trifluoromethyl-sulfonyl-9-borabicyclo[3.3.1]nonane. *Chem. Lett.*, **1977**, 153, by T. Inoue, T. Uchamaru, and T. Mukaiyama.
- 269 A Facile Method for the Pinacol Rearrangement of Phenyl-ethanediol Derivatives by the Use of 2-Chloropyridinium Salt. *Chem. Lett.*, **1977**, 179, by T. Mukaiyama, Y. Echigo, and M. Shiono.
- 270 A New Method for the Preparation of α -Hydroxy Ketones. *Chem. Lett.*, **1977**, 245, by T. Takeda, M. Ueda, and T. Mukaiyama.
- 271 A New Synthetic Method for the Transformation of Alcohols to Alkyl Chlorides Using 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1977**, 383, by T. Mukaiyama, S. Shoda, and Y. Watanabe.

- 272 New Synthetic Reactions Based on 1-Methyl-2-fluoro-pyridinium Salts. Stereospecific Preparation of Thioalcohols from Alcohols. *Chem. Lett.*, **1977**, 437, by K. Hojo, H. Yoshino, and T. Mukaiyama.
- 273 An Efficient Method for the Synthesis of Macrocyclic Lactone. *Chem. Lett.*, **1977**, 441, by T. Mukaiyama, K. Narasaka, and K. Kikuchi.
- 274 A New Synthesis of dl-Variotin. *Chem. Lett.*, **1977**, 467, by A. Ishida and T. Mukaiyama.
- 275 A Convenient Method for the Preparation of Isothiocyanates Using 2-Chloropyridinium Salt. *Chem. Lett.*, **1977**, 573, by T. Shibnuma, M. Shiono, and T. Mukaiyama.
- 276 A Convenient Method for the Preparation of Carbodiimides Using 2-Chloropyridinium Salt. *Chem. Lett.*, **1977**, 575, by T. Shibnuma, M. Shiono, and T. Mukaiyama.
- 277 A New Method for the Preparation of α -Alkoxy- α,β -unsaturated Aldehydes and Polyenals. *Bull. Chem. Soc. Jpn.*, **50**, 1161 (1977), by A. Ishida, and T. Mukaiyama.
- 278 New synthetic Reactions based on 1-Methyl-2-fluoro-pyridinium Salts. Stereospecific Preparation of Primary Amines from Alcohols. *Chem. Lett.*, **1977**, 635, by K. Hojo, S. Kobayashi, K. Soai, S. Ikeda, and T. Mukaiyama.
- 279 Synthetic Control based on Chiral 2-Halopyridinium Salts II. The Kinetic Resolution of Racemic Amines. *Chem. Lett.*, **1977**, 651, by T. Mukaiyama, M. Onaka, and M. Shiono.
- 280 A Convenient Method for the Preparation of Isocyanides. *Chem. Lett.*, **1977**, 697, by Y. Echigo, Y. Watanabe, and T. Mukaiyama.
- 281 New Method for the Preparation of Carboxylic Esters. *Bull. Chem. Soc. Jpn.*, **50**, 1863 (1977), by K. Saigo, M. Usui, K. Kikuchi, E. Shimada, and T. Mukaiyama.
- 282 Study on Racemization in Oxidation-Reduction Condensation by the Coupling Reaction for the Formation of Boc-Leu-Ile-Asp(NH₂)-Leu-OBu^t. *Chem. Lett.*, **1977**, 719, by R. Matsueda, H. Takahagi, and T. Mukaiyama.
- 283 New Synthesis of γ -Damascone. *Chem. Lett.*, **1977**, 757, by O. Takazawa, K. Saigo, K. Narasaka, and T. Mukaiyama.
- 284 The Facile Synthesis of Macrocyclic Lactones by the Use of 2-Chloro-3-methoxymethyl-1-methyl-pyridinium Iodide. *Chem. Lett.*, **1977**, 763, by K. Narasaka, T. Masui, and T. Mukaiyama.
- 285 Asymmetric Reduction of Acetophenone with Chiral Hydride Reagent Prepared from Lithium Aluminium Hydride and (S)-2-(Anilino)methylpyrrolidine. *Chem. Lett.*, **1977**, 783, by T. Mukaiyama, M. Asami, J. Hanna, and S. Kobayashi.
- 286 Stereoselective Total Syntheses of ($\pm$)-Recifeiolide and (R)-(+)-Ricinellaidic Acid Lactone. *Chem. Lett.*, **1977**, 959, by K. Narasaka, M. Yamaguchi, and T. Mukaiyama.

- 287 A New Method for the Transformation of 1,2-Epoxides to 1,2-Dichloroalkanes. *Chem. Lett.*, **1977**, 1013, by Y. Echigo, Y. Watanabe, and T. Mukaiyama.
- 288 Asymmetric Synthesis Based on (Z)-(2R,3S)-6-Benzylidene-3,4-dimethyl-5,7-dioxo-2-phenylperhydro-1,4-oxazepine. Synthesis of Optically Active 3-Substituted 3-Phenylpropionic Acids. *Chem. Lett.*, **1977**, 1165, by T. Mukaiyama, T. Takeda, and M. Osaki.
- 289 Biogenetic-Like Cyclization of Farnesol and Nerolidol to Bisabolene by the Use of 2-Fluorobenzothiazolium Salt. *Chem. Lett.*, **1977**, 1169, by S. Kobayashi, M. Tsutsui, and T. Mukaiyama.
- 290 Isomerization of Oxiranes to Allylic Alcohols with Dialkylboryl Trifluoromethanesulfonates. *Chem. Lett.*, **1977**, 1215, by T. Inoue, T. Uchimaru, and T. Mukaiyama.
- 291 Efficient Methods for Oxidation of Alcohols. *Bull. Chem. Soc. Jpn.*, **50**, 2773 (1977), by K. Narasaka, A. Morikawa, K. Saigo, and T. Mukaiyama.
- 292 A New One-Pot Cross Coupling Reaction of the Grignard Reagents and Allyl Alcohols via 2-Allyloxypyridinium Salts. *Chem. Lett.*, **1977**, 1257, by T. Mukaiyama, M. Imaoka, and T. Izawa.
- 293 A New Method for the Preparation of Isocyanates from Methyl Thiocarbamates by the Use of 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1977**, 1345, by Y. Echigo, Y. Watanabe, and T. Mukaiyama.
- 294 The Partial Reduction of Carboxylic Acids to Aldehydes via 3-Acylthiazolidine-2-thiones with Diisobutylaluminum Hydride. *Chem. Lett.*, **1977**, 1443, by T. Izawa and T. Mukaiyama.

1978

- 295 A New Method for the Preparation of Ketones by Decarbonylation of α -Hydroxycarboxylic Acid with 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1978**, 49, by T. Mukaiyama and Y. Echigo.
- 296 Enantioface-Differentiating (Asymmetric) Addition of Alkylolithium to Aldehydes by Using (2S,2'S)-2-Hydroxymethyl-1-[(1-methylpyrrolidin-2-yl)methyl]-pyrrolidine as Chiral Ligand. *Chem. Lett.*, **1978**, 219, by T. Mukaiyama, K. Soai, and S. Kobayashi.
- 297 An Efficient Phosphorylation Method by the Activation of Alcohol. *Chem. Lett.*, **1978**, 349, by Y. Watanabe and T. Mukaiyama.
- 298 Oxidation of Alcohols with 2-Fluoro-1-methylpyridinium Tosylate and Dimethyl Sulfoxide or Hexamethylenetetramine. *Chem. Lett.*, **1978**, 369, by K. Hojo and T. Mukaiyama.
- 299 New Synthesis of ($\pm$)-Pestalotin and ($\pm$)-Epipestalotin. *Chem. Lett.*, **1978**, 409, by T. Izawa and T. Mukaiyama.
- 300 Preparation of Olefins by Reductive Elimination of β -Hydroxysulfides Using 2-Fluoropyridinium Salt and Lithium Iodide. *Chem. Lett.*, **1978**, 413, by T. Mukaiyama and M. Imaoka.

- 301 Asymmetric Synthesis of δ -Oxocarboxylic Acids by the Michael Reaction Using (2R,3S)-3,4-Dimethyl-5,7-dioxo-2-phenylperhydro-1,4-oxazepine. *Chem. Lett.*, **1978**, 461, by T. Mukaiyama, Y. Hirako, and T. Takeda.
- 302 Preparation of Vinyl Chlorides from Enolizable Aldehydes. *Chem. Lett.*, **1978**, 465, by Y. Echigo and T. Mukaiyama.
- 303 Effects of Solvents on the Enantioface-Differentiating (Asymmetric) Addition of Butyllithium to Benzaldehyde Using (2S,2'S)-2-Hydroxymethyl-1-[(1-methylpyrrolidin-2-yl)-methyl]pyrrolidine as a Chiral Ligand. *Chem. Lett.*, **1978**, 491, by K. Soai and T. Mukaiyama.
- 304 Asymmetric Reduction of Prochiral Ketones with Chiral Hydride Reagents Prepared from Lithium Aluminium Hydride and (S)-2-(N-Substituted aminomethyl)pyrrolidines. *Bull. Chem. Soc. Jpn.*, **51**, 1869 (1978), by M. Asami, H. Ohno, S. Kobayashi, and T. Mukaiyama.
- 305 Enantioface-Differentiating (Asymmetric) Addition of Dialkylmagnesium to Aldehydes by Using the Lithium Salt of (2S,2'S)-2-Hydroxymethyl-1-[(1-methylpyrrolidin-2-yl)-methyl]pyrrolidine as a Chiral Ligand. *Chem. Lett.*, **1978**, 601, by T. Sato, K. Soai, K. Suzuki, and T. Mukaiyama.
- 306 Synthesis of Nucleosides from 1-Hydroxysugars Using 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1978**, 605, by T. Mukaiyama, S. Shoda, T. Nakatsuka, and K. Narasaka.
- 307 A Regioselective Coupling Reaction of Allyl Pyridyl Ethers with Grignard Reagents. *Chem. Lett.*, **1978**, 689, by T. Mukaiyama, M. Yamaguchi, and K. Narasaka.
- 308 A Convenient Method for the Preparation of Allenes from Propargyl Alcohols Using 1-Ethyl-2-fluoro-4,6-dimethyl-pyridinium Tetrafluoroborate. *Chem. Lett.*, **1978**, 785, by T. Mukaiyama and K. Kawata.
- 309 Reduction of Acetals with $\text{TiCl}_4\text{-LiAlH}_4$. *Bull. Chem. Soc. Jpn.*, **51**, 2059 (1978), by H. Ishikawa and T. Mukaiyama.
- 310 Total Synthesis of ($\pm$)-Variotin and Its Analogs. *Bull. Chem. Soc. Jpn.*, **51**, 2077 (1978), by A. Ishida and T. Mukaiyama.
- 311 A Useful Method for the Synthesis of Macrocyclic Lactone. *Chem. Lett.*, **1978**, 885, by K. Narasaka, K. Maruyama, and T. Mukaiyama.
- 312 A Novel Method for the Preparation of Primary Amines by the Use of N-Benzylhydroxylamine and 2-Fluoropyridinium Salt. *Chem. Lett.*, **1978**, 1057, by T. Mukaiyama, T. Tsuji, and Y. Watanabe.
- 313 Asymmetric Synthesis of α -Hydroxy Aldehydes. *Chem. Lett.*, **1978**, 1253, by T. Mukaiyama, Y. Sakito, and M. Asami.
- 314 Asymmetric Synthesis Based on (2R,3S)-3,4-Dimethyl-2-phenylperhydro-1,4-oxazepine-5,7-dione. Synthesis of Highly Optically Active β -Substituted Alkanoic Acids. *Bull. Chem. Soc. Jpn.*, **51**, 3368 (1978), by T. Mukaiyama, T. Takeda, and K. Fujimoto.

1979

- 315 The Partial Reduction of Carboxylic Acids to Aldehydes via 3-Acylthiazolidine-2-thiones with Diisobutylaluminum Hydride and with Lithium Tri-*t*-butoxyaluminum Hydride. *Bull. Chem. Soc. Jpn.*, **52**, 555 (1979), by T. Izawa and T. Mukaiyama.
- 316 An Asymmetric Reduction of Prochiral Ketones with a Chiral Hydride Reagent Prepared from Lithium Aluminium Hydride and (S)-2-(2,6-Xylidinomethyl)pyrrolidine. *Heterocycles*, **12**, 499 (1979), by M. Asami and T. Mukaiyama.
- 317 Enantioface-Differentiating (Asymmetric) Addition of Alkylolithium and Dialkylmagnesium to Aldehydes by Using (2S,2'S)-2-Hydroxymethyl-1-[(1-alkylpyrrolidin-2-yl)-methyl]pyrrolidines as Chiral Ligands. *J. Am. Chem. Soc.*, **101**, 1455 (1979), by T. Mukaiyama, K. Soai, T. Sato, H. Shimizu, and K. Suzuki.
- 318 The Reaction of O-Alkyl S,S-Diaryl Phosphorodithioates with Alkylloxystannanes. *Chem. Lett.*, **1979**, 389, by Y. Watanabe and T. Mukaiyama.
- 319 Enantioselective Addition of Acetylene to Aldehyde. Preparation of Optically Active Alkynyl Alcohols. *Chem. Lett.*, **1979**, 447, by T. Mukaiyama, K. Suzuki, K. Soai, and T. Sato.
- 320 One Step Formation of Alkynes from Aryl Ketones. *Chem. Lett.*, **1979**, 481, by T. Tsuji, Y. Watanabe, and T. Mukaiyama.
- 321 An Efficient Glucosylation of Alcohol Using 1-Thioglucoside Derivative. *Chem. Lett.*, **1979**, 487, by T. Mukaiyama, T. Nakatsuka, and S. Shoda.
- 322 A Convenient Method for the Preparation of Phosphoric Diesters and Its Application to the Synthesis of Phospholipides. *Chem. Lett.*, **1979**, 531, by T. Mukaiyama, N. Morito, and Y. Watanabe.
- 323 Asymmetric Synthesis of 3-Alkylsuccinaldehydic Acid Methyl Esters. *Chem. Lett.*, **1979**, 569, by M. Asami and T. Mukaiyama.
- 324 The Reaction of Lithiated 2-Allyloxybenzimidazoles with Alkyl Halides. *Chem. Lett.*, **1979**, 657, by T. Mukaiyama and M. Yamaguchi.
- 325 Synthetic Control by Internal Coordination of Metal Salts. The Intermolecular Diels-Alder Reactions of N-Furfuryl-N-(2-Hydroxyphenyl)acrylamides. *Chem. Lett.*, **1979**, 697, by T. Mukaiyama, T. Tsuji, and N. Iwasawa.
- 326 Versatile Method for the Preparation of Optically Active α -Hydroxy Aldehydes with Desired Configurations. *Chem. Lett.*, **1979**, 705, by T. Mukaiyama, Y. Sakito, and M. Asami.
- 327 A New Method for the Synthesis of β -Glucosides Using 2-Chloro-3,5-dinitropyridine. *Chem. Lett.*, **1979**, 847, by S. Shoda and T. Mukaiyama.
- 328 An Efficient Method for the Synthesis of Mixed Diester of Phosphoric Acid. *Chem. Lett.*, **1979**, 895, by T. Mukaiyama, N. Morito, and Y. Watanabe.

- 329 A New Allylation Reaction of the Copper(I) Salt of Enamines with 2-Allyloxybenzimidazoles. *Chem. Lett.*, **1979**, 957, by M. Yamaguchi, M. Murakami, and T. Mukaiyama.
- 330 Asymmetric Synthesis of Two Enantiomers of Frontalin. *Chem. Lett.*, **1979**, 1027, by Y. Sakito and T. Mukaiyama.
- 331 Enantioface-Differentiating Reactions Using (2S,2'S)-2-Hydroxymethyl-1-[(1-alkyl-2-pyrrolidinyl)methyl]pyrrolidines as Chiral Ligands. Addition of Lithium Derivatives of Methyl Phenyl Sulfide, Acetonitrile, N-Nitrosodimethylamine, and 2-Methylthiothiazoline to Aldehydes. *Bull. Chem. Soc. Jpn.*, **52**, 3371 (1979), by K. Soai and T. Mukaiyama.
- 332 A Convenient Method for the Preparation of α -Chloro-nitriles. *Chem. Lett.*, **1979**, 1117, by T. Mukaiyama, K. Kawata, A. Sasaki, and M. Asami.
- 333 New Synthesis of Karahana Ether. *Chem. Lett.*, **1979**, 1175, by T. Mukaiyama, N. Iwasawa, T. Tsuji, and K. Narasaka.
- 334 Asymmetric Synthesis of Cyclopropanes and γ -Butyrolactones by the Reaction of Dimethylsulfoxonium Methylide with (E)-(2R,3S)-6-Alkyliden-3,4-dimethyl-2-phenylperhydro-1,4-oxazepine-5,7-dione. *Chem. Lett.*, **1979**, 1207, by T. Mukaiyama, K. Fujimoto, and T. Takeda.
- 335 The Addition Reaction of Metalated 2-Allyloxybenzimidazoles to Aldehydes and the Transformation of the Adducts to Vinyloxiranes. *Chem. Lett.*, **1979**, 1279, by M. Yamaguchi and T. Mukaiyama.
- 336 An Efficient Method for the Synthesis of Peptides by the Use of Phenylphosphonic Esters. *Chem. Lett.*, **1979**, 1305, by T. Mukaiyama, N. Morito, and Y. Watanabe.
- 337 The Reaction of π -Allylnickel Halides with 2-Pyridyl Carboxylates. A New Synthesis of β,γ -Unsaturated Ketones. *Chem. Lett.*, **1979**, 1483, by M. Onaka, T. Goto, and T. Mukaiyama.
- 1980
- 338 Enantioface-Differentiating Addition of a Chiral Aryllithium Reagent to Aldehydes. *Chem. Lett.*, **1980**, 17, by M. Asami and T. Mukaiyama.
- 339 Enantioface-Differentiating 1,4-Addition of Methyl Grignard Reagent to 1,3-Diphenyl-2-propen-1-one. *Chem. Lett.*, **1980**, 45, by T. Imamoto and T. Mukaiyama.
- 340 A New Method for the Preparation of Symmetrical Aromatic Ketones from Aromatic Carboxylic Acids. *Chem. Lett.*, **1980**, 51, by T. Goto, M. Onaka, and T. Mukaiyama.
- 341 Asymmetric Total Synthesis of Indolmycin. *Chem. Lett.*, **1980**, 163, by T. Takeda and T. Mukaiyama.
- 342 Regio- and Stereoselective Cross-aldol Reactions via Dialkylboryl Triflates. *Bull. Chem. Soc. Jpn.*, **53**, 174 (1980), by T. Inoue and T. Mukaiyama.

- 343 Asymmetric Addition of Acetylide to Aliphatic Aldehydes. Preparation of Optically Active 5-Octyl-2(5H)-furanone. *Chem. Lett.*, **1980**, 255, by T. Mukaiyama and K. Suzuki.
- 344 Cesium Fluoride-Promoted Synthesis of Carboxylic Acid Derivatives Using 2-Fluoropyridinium Salt. *Chem. Lett.*, **1980**, 391, by S. Shoda and T. Mukaiyama.
- 345 An Asymmetric Synthesis of β -Fromyl β -Hydroxy Esters. *Chem. Lett.*, **1980**, 455, by Y. Sakito, M. Asami, and T. Mukaiyama.
- 346 Cesium Fluoride-Promoted Reaction of Aldehydes with S-(2-Benzimidazolyl)Alkanthioates. A New Method for the Preparation of Enol Esters. *Chem. Lett.*, **1980**, 529, by T. Mukaiyama, M. Murakami, and M. Yamaguchi.
- 347 A Useful Method for Selective Acylation of Alcohols Using 2,2'-Bipyridyl-6-yl Carboxylate and Cesium Fluoride. *Chem. Lett.*, **1980**, 563, by T. Mukaiyama, F. Pai, M. Onaka, and K. Narasaka.
- 348 Asymmetric Synthesis of β -Substituted γ -Butyrolactones. *Chem. Lett.*, **1980**, 635, by T. Mukaiyama, K. Fujimoto, T. Hirose, and T. Takeda.
- 349 Synthesis of Olefins by Nickel-Catalyzed Decarbonylation of S-(2-Pyridyl) Thioates. *Chem. Lett.*, **1980**, 709, by T. Goto, M. Onaka, and T. Mukaiyama.
- 350 Reductive Coupling of S-(2-Pyridyl) Aliphatic Thioates by Use of Bis(1,5-Cyclooctadiene)nickel. *Chem. Lett.*, **1980**, 905, by M. Onaka, Y. Matsuoka, and T. Mukaiyama.
- 351 A Regio- and Stereoselective Synthesis of γ,δ -Unsaturated Alcohols. *Chem. Lett.*, **1980**, 993, by M. Yamaguchi and T. Mukaiyama.
- 352 Synthetic Control by Internal Hydrogen Bonding. The Intramolecular Diels-Alder Reaction of Nitrofurane and α,β -Unsaturated Carboxamides. *Chem. Lett.*, **1980**, 1013, by T. Mukaiyama and T. Takebayashi.
- 353 An Asymmetric Total Synthesis of a New Marine Antibiotic-Malyngolide. *Chem. Lett.*, **1980**, 1223, by Y. Sakito, S. Tanaka, M. Asami, and T. Mukaiyama.
- 354 An Efficient Method for the Preparation of Homoallylic Alcohol Derivatives by the Reaction of Allyl Iodide with Carbonyl Compounds in the Presence of Stannous Halide. *Chem. Lett.*, **1980**, 1507, by T. Mukaiyama, T. Harada, and S. Shoda.

1981

- 355 The Asymmetric Diels-Alder Reactions of α,β -Unsaturated Carboxylic Amides Derived from (-)-Phenylglycinol and the Asymmetric Total Synthesis of (+)-Farnesiferol C. *Chem. Lett.*, **1981**, 29, by T. Mukaiyama and N. Iwasawa.
- 356 Peptide Synthesis by Using Phenylphosphonic Ester as a Coupling Reagent. *Chem. Lett.*, **1981**, 65, by Y. Watanabe, N. Morito, K. Kamekawa, and T. Mukaiyama.
- 357 Highly Enantioselective Michael Addition of Thiols to 2-Cyclohexenone by Using (2S,4S)-2-(Anilinoethyl)-1-ethyl-4-hydroxypyrrolidine as a Chiral Catalyst. *Chem. Lett.*, **1981**, 165, by T. Mukaiyama, A. Ikegawa, and K. Suzuki.

- 358 A New Method for Enantioselective Synthesis of β -Hydroxy- α -amino Acids. *Chem. Lett.*, **1981**, 279, by T. Nakatsuka, T. Miwa, and T. Mukaiyama.
- 359 A Convenient Method for the Synthesis of Carboxamides and Peptides by the Use of Tetrabutylammonium Salts. *Chem. Lett.*, **1981**, 285, by Y. Watanabe and T. Mukaiyama.
- 360 An Efficient Method for Glucosylation of Hydroxy Compounds Using Glucopyranosyl Fluoride. *Chem. Lett.*, **1981**, 431, by T. Mukaiyama, Y. Murai, and S. Shoda.
- 361 A Novel Method for the Synthesis of β -Lactams by Means of Phase Transfer System. *Chem. Lett.*, **1981**, 443, by Y. Watanabe and T. Mukaiyama.
- 362 A Convenient Method for the Direct Preparation of Ketones from 2-[6-(2-Methoxyethyl)pyridyl] Carboxylates and Alkyl Iodides by Use of Zinc Dust and a Catalytic Amount of Nickel Dichloride. *Chem. Lett.*, **1981**, 531, by M. Onaka, Y. Matsuoka, and T. Mukaiyama.
- 363 Reaction of Acetals with Grignard Reagents. *Bull. Chem. Soc. Jpn.*, **54**, 776 (1981), by H. Ishikawa, T. Mukaiyama, and S. Ikeda.
- 364 A Convenient Synthesis of α -Hydroxyallenes by the Reaction of Propargyl Iodides with Aldehydes in the Presence of Stannous Halide. *Chem. Lett.*, **1981**, 621, by T. Mukaiyama and T. Harada.
- 365 Stereoselective Synthesis of α,β -Epoxyphenylketones from α,α -Dibromophenylketones and Aldehydes Using Stannous Fluoride. *Chem. Lett.*, **1981**, 723, by S. Shoda and T. Mukaiyama.
- 366 The Asymmetric Michael Reaction of (2R,3S)-3,4-Dimethyl-2-phenylperhydro-1,4-oxazepine-5,7-dione with 1-Nitrocyclohexene. *Chem. Lett.*, **1981**, 797, by T. Takeda, T. Hoshiko, and T. Mukaiyama.
- 367 A Facile Asymmetric Synthesis of β -Substituted Alkanoic Acid. The Highly Stereoselective Michael Addition of Grignard Reagents to α,β -Unsaturated Carboxylic Amides Derived from L-Ephedrin. *Chem. Lett.*, **1981**, 913, by T. Mukaiyama and N. Iwasawa.
- 368 The Stereoselective Synthesis of D- and L-Ribose. *Chem. Lett.*, **1981**, 1005, by M. Yamaguchi and T. Mukaiyama.
- 369 A Convenient Synthesis of 2-Deoxy-D-ribose. *Chem. Lett.*, **1981**, 1109, by T. Harada and T. Mukaiyama.
- 370 A Novel Method for the Generation of an Ester Enolate Anion from Ethoxyacetylene. *Chem. Lett.*, **1981**, 1129, by T. Mukaiyama and M. Murakami.
- 371 A New Aldol Reaction: A Method for the Generation of Vinyloxyboranes by the Acylation of Boron-stabilized Carbanions. *Chem. Lett.*, **1981**, 1193, by T. Mukaiyama, M. Murakami, T. Oriyama, and M. Yamaguchi.

- 372 One-Pot Cyclization of a Peptide by the Use of (5-Nitro-pyridyl)diphenyl Phosphinate: The Synthesis of Cyclic Dcapeptide Gramicidin S. *Chem. Lett.*, **1981**, 1367, by T. Mukaiyama, K. Kamekawa, and Y. Watanabe.
- 373 A Novel Method for the Synthesis of 2,2,2-Tribromoethanols from Aldehydes and Carbontetrabromide in the Presence of Stannous Fluoride — A Synthesis of Diacetyl-D-erythronolactone —. *Chem. Lett.*, **1981**, 1505, by T. Mukaiyama, M. Yamaguchi, and J. Kato.
- 374 An Efficient Synthesis of Homoallyl Alcohols by the Reaction of Allyl Halides with Carbonyl Compounds in the Presence of Metallic Tin. *Chem. Lett.*, **1981**, 1527, by T. Mukaiyama and T. Harada.
- 375 The Stereoselective Synthesis of D-Ribulose. *Chem. Lett.*, **1981**, 1529, by K. Suzuki, Y. Yuki, and T. Mukaiyama.
- 376 A Novel Carboxyl Protecting Group — The Carboxamide Derived from 5,6-Dihydrophenanthridine —. *Chem. Lett.*, **1981**, 1551, by T. Uchimaru, K. Narasaka, and T. Mukaiyama.

1982

- 377 A Stereoselective Synthesis of 2-Amino-2-deoxy-D-arabinose and D-Ribose. *Chem. Lett.*, **1982**, 145, by T. Mukaiyama, T. Miwa, and T. Nakatsuka.
- 378 A New Method for the Synthesis of β -Hydroxyesters by Using Metallic Tin. *Chem. Lett.*, **1982**, 161, by T. Harada and T. Mukaiyama.
- 379 The Highly Stereoselective Synthesis of cis-Vinyloxiranes. *Chem. Lett.*, **1982**, 237, by M. Yamaguchi and T. Mukaiyama.
- 380 A New Method for the Generation of a Boron Enolate of an Ester — A New Synthesis of 2-Deoxy-D-ribose —. *Chem. Lett.*, **1982**, 241, by M. Murakami and T. Mukaiyama.
- 381 Stannous Triflate: A New Aldol Reaction via Divalent Tin Enolates. *Chem. Lett.*, **1982**, 353, by T. Mukaiyama, R. W. Stevens, and N. Iwasawa.
- 382 A New Method for the Direct Introduction of Alkoxy Group to Silyl Enol Ether with Alkyl Hypochlorite Catalyzed by Palladium(0). *Chem. Lett.*, **1982**, 369, by T. Nakatsuka and T. Mukaiyama.
- 383 New Method for the Synthesis of Glycosyl Glycerides --The Stereoselective Reduction of Glycosides of 1-Alkoxy-3-Hydroxyacetone--. *Chem. Lett.*, **1982**, 433, by T. Mukaiyama, S. Tanaka, and M. Asami.
- 384 A Total Synthesis of ($\pm$)-Integerrimine. *Chem. Lett.*, **1982**, 455, by K. Narasaka, T. Sakakura, T. Uchimaru, K. Morimoto, and T. Mukaiyama.
- 385 A New Method for the Regio- and Stereoselective Synthesis of Aldols from α -Bromoketone and Carbonyl Compounds by Using Metallic Tin. *Chem. Lett.*, **1982**, 467, by T. Harada and T. Mukaiyama.

- 386 A Stereoselective Synthesis of α,β -Dihydroxy Ketones. An Aldol Reaction of Enediol-type Cyclic Vinyloxyboranes. *Chem. Lett.*, **1982**, 509, by T. Mukaiyama and M. Yamaguchi.
- 387 Synthetic Control by Internal Coordination of Metal Salts The Intramolecular Ene Reactions of N-(3-Methyl-2-butenyl)-N-(2-Hydroxyphenyl)acrylamides. *Chem. Lett.*, **1982**, 513, by N. Iwasawa, T. Takebayashi, and T. Mukaiyama.
- 388 An Efficient Method for the Stereoselective Synthesis of Tricyclic Compounds — The Intramolecular Diels-Alder Reaction of Cyclic α,β -Unsaturated Carboxamides —. *Chem. Lett.*, **1982**, 579, by T. Takebayashi, N. Iwasawa, and T. Mukaiyama.
- 389 A Novel Method for the Synthesis of 2-Deoxydisaccharide by Stereoselective Cyclization of the Acyclic Precursor. *Chem. Lett.*, **1982**, 683, by K. Suzuki and T. Mukaiyama.
- 390 Stereoselective Synthesis of 1-O-Acyl-D-glucopyranose from 1-Hydroxy Sugar and Acyl Fluorides by the Promotion of Cesium Fluoride. *Chem. Lett.*, **1982**, 861, by S. Shoda and T. Mukaiyama.
- 391 Asymmetric Synthesis of Optically Active Cyclohexenol Derivatives via Highly Stereoselective Reduction of (R)-3-(p-t-butylphenylthio)cyclohexan-1-one. *Chem. Lett.*, **1982**, 899, by K. Suzuki, A. Ikegawa, and T. Mukaiyama.
- 392 4-O-Benzyl-2,3-O-isopropylidene-L-threose — A New and Useful Building Block for the Syntheses of L-Sugars —. *Chem. Lett.*, **1982**, 929, by T. Mukaiyama, K. Suzuki, and T. Yamada.
- 393 5,6-Dihydrophenanthridin-5-yl as an Activatable Protecting Group of Carboxylic Acid — A Direct Preparation of Amides from 5-Acyl-5,6-dihydrophenanthridine —. *Chem. Lett.*, **1982**, 991, by K. Narasaka, T. Hirose, T. Uchimaru, and T. Mukaiyama.
- 394 The Stereoselective Synthesis of L-Tagatose — An Application of Zn(II) Mediated Highly Stereoselective Addition of 2-Furyllithium to Polyoxygenated Aldehyde —. *Chem. Lett.*, **1982**, 1169, by T. Mukaiyama, Y. Yuki, and K. Suzuki.
- 395 A Stereoselective Synthesis of 2-Amino-2-deoxy-D-ribose. *Chem. Lett.*, **1982**, 1271, by M. Murakami and T. Mukaiyama.
- 396 A Novel Method for the Synthesis of α,β -Dihydroxy Ketones via Tin(II) Enediolates. *Chem. Lett.*, **1982**, 1291, by T. Mukaiyama, J. Kato, and M. Yamaguchi.
- 397 New Synthesis of β -Keto Acetals. *Chem. Lett.*, **1982**, 1307, by O. Takazawa and T. Mukaiyama.
- 398 Enantioselective Cross Aldol Reaction via Divalent Tin Enolate. *Chem. Lett.*, **1982**, 1441, by N. Iwasawa and T. Mukaiyama.
- 399 Stannous Triflate: A Facile Cross-aldol Reaction between Two Ketones via Divalent Tin Enolates. *Chem. Lett.*, **1982**, 1459, by R. W. Stevens, N. Iwasawa, and T. Mukaiyama.

- 400 Highly Stereoselective Synthesis of α -D-Glucopyranosides by the N-Iodosuccinimide-promoted Internal Cyclization. *Chem. Lett.*, **1982**, 1525, by K. Suzuki and T. Mukaiyama.
- 401 A New Method for the Synthesis of α -L-Threofuranosides from Acyclic Precursor. *Chem. Lett.*, **1982**, 1555, by T. Mukaiyama, T. Sugaya, S. Marui, and T. Nakatsuka.
- 402 Stereoselective Synthesis of cis- α,β -Epoxyketones via Divalent Tin Enolate. *Chem. Lett.*, **1982**, 1601, by T. Mukaiyama, T. Haga, and N. Iwasawa.
- 403 A New and Effective Asymmetric Synthesis of 3-Phenylalkanals. *Chem. Lett.*, **1982**, 1637, by T. Mukaiyama, H. Hayashi, T. Miwa, and K. Narasaka.
- 404 Stannous Triflate Mediated Aldol Reaction of 3-Acylthiazolidine-2-thione: A Convenient Method for the Stereoselective Syntheses of β -Hydroxy Aldehyde and β -Hydroxy Carboxylic Acid Derivatives. *Chem. Lett.*, **1982**, 1903, by T. Mukaiyama and N. Iwasawa.
- 405 The Enantioselective Michael Addition of Thiols to Cyclo-alkenones by Using (2S,4S)-2-Anilinomethyl-1-ethyl-4-hydroxypyrrolidine as Chiral Catalyst. *Bull. Chem. Soc. Jpn.*, **55**, 3277 (1982), by K. Suzuki, A. Ikegawa, and T. Mukaiyama.

1983

- 406 Stereoselective Synthesis of L-Sugars of Biological Importance Starting from 4-O-Benzyl-2,3-O-Isopropylidene-L-Threose as a Chiral Building Block, *Chem. Lett.*, **1983**, 5, by T. Mukaiyama, T. Yamada, and K. Suzuki.
- 407 An Asymmetric Synthesis of α -Benzyloxy Aldehydes Having a Chiral Tertiary Center — An Application to the Asymmetric Synthesis of exo-(+)-Brevicomine —. *Chem. Lett.*, **1983**, 93, by M. Asami and T. Mukaiyama.
- 408 The Stereoselective Synthesis of 2,3-cis-Dihydroxy- γ -butyrolactones by the Oxidation of γ -Butenolides with KMnO_4 -Crown Ether. *Chem. Lett.*, **1983**, 173, by T. Mukaiyama, F. Tabusa, and K. Suzuki.
- 409 Facile Method for the Acylation of Alcohols and Amides by the Use of 1,1'-Dimethylstannocene and Acyl Chlorides. *Chem. Lett.*, **1983**, 293, by T. Mukaiyama, J. Ichikawa, and M. Asami.
- 410 Highly Enantioselective Aldol-type Reaction of 3-Acetylthiazolidine-2-thione with Achiral Aldehydes. *Chem. Lett.*, **1983**, 297, by N. Iwasawa and T. Mukaiyama.
- 411 An Asymmetric Synthesis of Bicyclic Lactones and its Application to the Asymmetric Synthesis of (1R,3S)-cis-Chrysanthemic Acid. *Chem. Lett.*, **1983**, 385, by T. Mukaiyama, H. Yamashita, and M. Asami.
- 412 Diastereoselection in a Directed Crossed Aldol Reaction between Two Polyoxygenated Ketones Employing Tin(II) Enolates. A Facile Stereoselective Synthesis of Ethyl 2-C-Methyl-DL-Lyxofuranoside. *Chem. Lett.*, **1983**, 595, by R. W. Stevens and T. Mukaiyama.

- 413 Stereoselective Synthesis of L-Daunosamine. *Chem. Lett.*, **1983**, 671, by T. Mukaiyama, Y. Goto, and S. Shoda.
- 414 A Facile Synthesis of Carboxylic Esters and Carboxamides by the Use of 1,1'-Dimethylstannocene as a Condensing Reagent. *Chem. Lett.*, **1983**, 683, by T. Mukaiyama, J. Ichikawa, and M. Asami.
- 415 A Convenient Method for the Synthesis of α,β -Unsaturated Carbonyl Compounds. *Chem. Lett.*, **1983**, 875, by T. Mukaiyama and T. Ohsumi.
- 416 A Novel Method for the One-step Synthesis of N-Alkyl Imides by the Use of 1,1'-Dimethylstannocene. *Chem. Lett.*, **1983**, 879, by T. Mukaiyama, J. Ichikawa, M. Toba, and M. Asami.
- 417 Stereoselective Synthesis of 1,2-cis-Glycofuranosides Using Glycofuranosyl Fluorides. *Chem. Lett.*, **1983**, 935, by T. Mukaiyama, Y. Hashimoto, and S. Shoda.
- 418 A Convenient Method for the Preparation of Enol Acetates of α -Keto Esters by the Alkylation of Cyanohydrin Silyl Ethers Derived from Glyoxylic Esters with Benzyl and Allyl Halides. *Chem. Lett.*, **1983**, 985, by T. Mukaiyama, T. Oriyama, and M. Murakami.
- 419 Synthetic Control by Internal Interaction. The Intra-molecular Diels-Alder Reactions of Furan Derivatives and α,β -Unsaturated Amides. *Bull. Chem. Soc. Jpn.*, **56**, 1107 (1983), by T. Takebayashi, N. Iwasawa, and T. Mukaiyama.
- 420 The Direct Synthesis of α,β -Unsaturated Carbonyl Compounds by Pd(II) Promoted Dehydrogenation of Aldehydes and Ketones. *Chem. Lett.*, **1983**, 1207, by T. Mukaiyama, M. Ohshima, and T. Nakatsuka.
- 421 Stereoselective Intramolecular Diels-Alder Reactions of α,β -Unsaturated Amides Using Internal Coordination of Metal Salts. *Bull. Chem. Soc. Jpn.*, **56**, 1669 (1983), by T. Takebayashi, N. Iwasawa, T. Mukaiyama, and T. Hata.
- 422 Aldehyde Enolate. Cross Aldol Reaction via Tin(II) Enolate. *Chem. Lett.*, **1983**, 1727, by J. Kato and T. Mukaiyama.
- 423 A New Method for the Stereoselective Synthesis of β -Xylofuranoside. *Chem. Lett.*, **1983**, 1733, by M. Murakami and T. Mukaiyama.
- 424 Efficient Asymmetric Induction via Coordination of Chiral Diamine to Tin(II) Enolate: A Highly Enantioselective Synthesis of 2-Substituted Malates. *Chem. Lett.*, **1983**, 1799, by R. W. Stevens and T. Mukaiyama.
- 425 Tin(II) Enediolate from Methylglyoxal. *Chem. Lett.*, **1983**, 1825, by T. Mukaiyama, R. Tsuzuki, and J. Kato.

1984

- 426 Asymmetric Acylation of meso-1,2-Diols with d-Ketopinic Acid Chloride. *Chem. Lett.*, **1984**, 49, by T. Mukaiyama, I. Tomioka, and M. Shimizu.

- 427 2-Benzyloxy-1-Propene: A Novel Protective Reagent of Hydroxyl Groups. *Chem. Lett.*, **1984**, 265, by T. Mukaiyama, M. Ohshima, and M. Murakami.
- 428 Synthetic Control Leading to Chiral Compounds. *Tetrahedron*, **40**, 1381 (1984), by T. Mukaiyama, N. Iwasawa, R. W. Stevens, and T. Haga.
- 429 Highly Efficient Asymmetric Synthesis of (S)-2,2-Dimethyl-1,3-dioxolane-4-methanol from Glycerol. *Chem. Lett.*, **1984**, 401, by T. Mukaiyama, Y. Tanabe, and M. Shimizu.
- 430 A Formal Total Synthesis of Polyoxin J Using 4-O-Benzyl-2,3-O-isopropylidene-L-threose as a Common Chiral Building Block. *Chem. Lett.*, **1984**, 405, by F. Tabusa, T. Yamada, K. Suzuki, and T. Mukaiyama.
- 431 Stereoselective Synthesis of α -Ribonucleosides from 1-Hydroxy Sugars by Using 2-Fluoropyridinium Tosylate. *Chem. Lett.*, **1984**, 557, by T. Mukaiyama, Y. Hashimoto, Y. Hayashi, and S. Shoda.
- 432 Preparation of Chiral Sulfones by Asymmetric Addition of Arenesulfonyl Carbanions to Acetone. *Chem. Lett.*, **1984**, 611, by T. Akiyama, M. Shimizu, and T. Mukaiyama.
- 433 A Novel Acid-resistant Acetal-type Protective Group for Alcohols. *Chem. Lett.*, **1984**, 615, by T. Mukaiyama, M. Ohshima, H. Nagaoka, and M. Murakami.
- 434 Versatile Relative and Absolute Stereocontrol in Stannous Triflate Mediated Aldol-type Reactions of 3-(2-Benzyl-oxyacetyl)thiazolidine-2-thione. *Chem. Lett.*, **1984**, 753, by T. Mukaiyama and N. Iwasawa.
- 435 A Facile Synthesis of α -Glucosides and α -Ribosides from the Corresponding 1-O-Acyl Sugars and Alcohols in the Presence of Trityl Perchlorate. *Chem. Lett.*, **1984**, 907, by T. Mukaiyama, S. Kobayashi, and S. Shoda.
- 436 An Asymmetric Synthesis of Glycerol Derivatives by the Enantioselective Acylation of Prochiral Glycerol. *Chem. Lett.*, **1984**, 949, by J. Ichikawa, M. Asami, and T. Mukaiyama.
- 437 A New Method for the Stereoselective Synthesis of Nucleosides from Acyclic Epoxy Aldehydes. *Chem. Lett.*, **1984**, 1093, by T. Miwa, K. Narasaka, and T. Mukaiyama.
- 438 A Convenient Method for the Construction of β -Lactam Compounds from β -Amino Acids Using 2-Chloro-1-methylpyridinium Iodide as Condensing Reagent. *Chem. Lett.*, **1984**, 1465, by H. Huang, N. Iwasawa, and T. Mukaiyama.
- 439 A Facile Synthesis of α -C-Ribofuranosides from 1-O-Acetyl Ribose in the Presence of Trityl Perchlorate. *Chem. Lett.*, **1984**, 1529, by T. Mukaiyama, S. Kobayashi, and S. Shoda.
- 440 Stannous (II) Triflate Promoted Rearrangement of β -Keto Sulfoxides. Synthesis of 1,4-Diketones. *Chem. Lett.*, **1984**, 1531, by M. Shimizu, T. Akiyama, and T. Mukaiyama.

- 441 A Facile Synthesis of γ,δ -Unsaturated Esters by the Pd(II) Catalyzed Claisen Rearrangement. *Chem. Lett.*, **1984**, 1535, by M. Ohshima, M. Murakami, and T. Mukaiyama.
- 442 Trityl Perchlorate as an Efficient Catalyst in the Aldol-type Reaction. *Chem. Lett.*, **1984**, 1759, by T. Mukaiyama, S. Kobayashi, and M. Murakami.
- 443 A Convenient Method for the Synthesis of α -Phenylthio- α,β -unsaturated Ketone by Stannous Triflate Promoted Rearrangement of α -Sulfinyl Ketone. *Chem. Lett.*, **1984**, 1843, by T. Akiyama, H. Iwakiri, M. Shimizu, and T. Mukaiyama.
- 444 Dichloro-bis(trifluoromethanesulfonato)titanium(IV) as an Effective Promoter in the Claisen Ester Condensation. *Chem. Lett.*, **1984**, 1867, by Y. Tanabe and T. Mukaiyama.
- 445 A Convenient Method for the Mild Reductive Debromination of α -Bromo Ketones and of *vic*-Dibromoalkanes with Stannous Chloride/Diisobutylaluminum Hydride. *Chem. Lett.*, **1984**, 2069, by T. Oriyama and T. Mukaiyama.
- 446 Asymmetric Reduction of Prochiral Ketones with a Chiral Reducing Agent Prepared from Stannous Chloride, Chiral Diamine as a Ligand, and Diisobutylaluminum Hydride. *Chem. Lett.*, **1984**, 2071, by T. Oriyama and T. Mukaiyama.

1985

- 447 Asymmetric Michael Addition of Thiophenol to Maleic Acid Esters. *Chem. Lett.*, **1985**, 363, by H. Yamashita and T. Mukaiyama.
- 448 An Efficient Method for the Preparation of THREO Cross-Aldols from Silyl Enol Ethers and Aldehydes using Trityl Perchlorate as a Catalyst. *Chem. Lett.*, **1985**, 447, by T. Mukaiyama, S. Kobayashi, and M. Murakami.
- 449 A Facile Synthesis of 1,3-Dicarbonyl Compounds from 1-Alkyne and Acid Anhydride Promoted by Dichloro-bis (trifluoromethanesulfonato)titanium(IV). *Chem. Lett.*, **1985**, 673, by Y. Tanabe and T. Mukaiyama.
- 450 A Novel Method for the Preparation of Symmetrical and Unsymmetrical Ethers. Trityl Perchlorate Promoted Reduction of Carbonyl Compounds with Triethylsilane. *Chem. Lett.*, **1985**, 753, by J. Kato, N. Iwasawa, and T. Mukaiyama.
- 451 Stereoselective Synthesis of Cis- α,β -epoxiesters and Aldehydes via Divalent Tin Enolate. A Synthesis of 2-Amino-2-deoxy-D-arabinitol. *Chem. Lett.*, **1985**, 809, by T. Mukaiyama, T. Yura, and N. Iwasawa.
- 452 Asymmetric Reduction of Prochiral Keto Esters with a Chiral Reducing Agent Prepared from Tin(II) Chloride, Chiral Diamine, and Diisobutylaluminum Hydride. *Chem. Lett.*, **1985**, 813, by T. Mukaiyama, K. Tomimori, and T. Oriyama.
- 453 A Stereoselective Synthesis of Methyl D-glucosaminates via Tin(II) Enediolate Formed from Furylglyoxal. *Chem. Lett.*, **1985**, 837, by T. Mukaiyama, R. Tsuzuki, and J. Kato.

- 454 Unprecedented g-selective Michael Addition of Tin(II) Dienolates to Acyclic α,β -Unsaturated Ketones. *Chem. Lett.*, **1985**, 851, by R. W. Stevens and T. Mukaiyama.
- 455 The **anti**-selective Michael Addition of Tin(II) Enolates of Cyclic Ketones to β -Nitrostyrene. *Chem. Lett.*, **1985**, 855, by R. W. Stevens and T. Mukaiyama.
- 456 The Trityl Perchlorate Catalyzed Michael Reaction. *Chem. Lett.*, **1985**, 953, by S. Kobayashi, M. Murakami, and T. Mukaiyama.
- 457 A Facile Synthesis of Homoallyl Ethers. The Reaction of Acetals with Allyltrimethylsilanes Promoted by Trityl Perchlorate or Diphenylboryl Triflate. *Chem. Lett.*, **1985**, 977, by T. Mukaiyama, H. Nagaoka, M. Murakami, and M. Ohshima.
- 458 A Facile Synthesis of α,β -Dihydroxyketones via Tin(IV) Enediolates by Utilizing the Reducing Power of Bis(2-Pyridinethiolato)Tin(II). *Chem. Lett.*, **1985**, 1009, by J. Ichikawa and T. Mukaiyama.
- 459 Stannous Triflate Mediated Aldol Reaction of 3-(3-Alkoxy and 3-Aminopropanoyl)Thiazolidine-2-Thiones Stereoselective Synthesis of β -Lactam Derivatives. *Chem. Lett.*, **1985**, 1045, by N. Iwasawa, H. Huang, and T. Mukaiyama.
- 460 Highly Stereoselective Synthesis of α -Ribonucleotides via a Cyclic Phosphate. *Chem. Lett.*, **1985**, 1087, by T. Mukaiyama, Y. Hayashi, and Y. Hashimoto.
- 461 A Novel and Useful Method for the Preparation of Methyl Esters from Dimethyl Acetals. *Chem. Lett.*, **1985**, 1255, by T. Mukaiyama, J. Kato, N. Miyoshi, and N. Iwasawa.
- 462 Asymmetric Reduction of Prochiral Hydroxy Ketones with a Chiral Reducing Agent Prepared from Tin(II) Chloride, a Chiral Diamine, and Diisobutylaluminum Hydride. *Chem. Lett.*, **1985**, 1359, by T. Mukaiyama, K. Tomimori, and T. Oriyama.
- 463 Immobilized Catalyst Directed to Synthetic Control. Cross-Aldol Reaction. *Chem. Lett.*, **1985**, 1363, by T. Mukaiyama and H. Iwakiri.
- 464 Trityl Salts as Efficient Catalysts in the Aldol Reaction. *Chem. Lett.*, **1985**, 1535, by S. Kobayashi, M. Murakami, and T. Mukaiyama.
- 465 A Regio- and Stereoselective Synthesis of Aldolized γ -Diketones via Tin(IV) Bisenolates by the Use of Bis(2-Pyridinethiolato)Tin(II). *Chem. Lett.*, **1985**, 1539, by T. Mukaiyama, J. Ichikawa, M. Toba, and M. Hayashi.
- 466 Asymmetric Ring-Opening of Cyclohexene Oxide with Various Thiols Catalyzed by Zinc Lg-Tartrate. *Chem. Lett.*, **1985**, 1643, by H. Yamashita and T. Mukaiyama.
- 467 A Convenient Method for the Preparation of γ -Ketosulfides from Thioacetals. *Chem. Lett.*, **1985**, 1871, by M. Ohshima, M. Murakami, and T. Mukaiyama.
- 1986
- 468 Asymmetric Allylation of Prochiral Aldehydes with a New Enantioselective Allylating Agent Prepared from Stannous Triflate, a Chiral Diamine, and Allyldialkylaluminum. *Chem. Lett.*, **1986**, 97, by T. Mukaiyama, N. Minowa, T. Oriyama, and K. Narasaka.

- 469 The Diphenylboryl Hexachloroantimonate Promoted Friedel-Crafts Acylation Reaction. *Chem. Lett.*, **1986**, 165, by T. Mukaiyama, H. Nagaoka, M. Ohshima, and M. Murakami.
- 470 Stereoselective Aldol Reaction for the Preparation of β -Ethylthiomethyl Aldols via Tin(II) Enolate by the Use of a Catalytic Amount of the Tin(II) Species. *Chem. Lett.*, **1986**, 187, by T. Yura, N. Iwasawa, and T. Mukaiyama.
- 471 A Convenient Method for Generation of Tin(II) Thioester Enolate and its Reaction with Aldehyde. *Chem. Lett.*, **1986**, 213, by T. Mukaiyama, N. Yamasaki, R. W. Stevens, and M. Murakami.
- 472 Trityl Perchlorate Catalyzed Tandem Michael-Aldol Reaction. A Facile Method for the Stereoselective Syntheses of γ -AcylSubstituted δ -Hydroxy Ketone Derivatives. *Chem. Lett.*, **1986**, 221, by S. Kobayashi and T. Mukaiyama.
- 473 Highly Stereoselective Aldol-type Reaction of Chiral Tin(II) Enolate. Formal Total Synthesis of ($\pm$)-Thienamycin. *Chem. Lett.*, **1986**, 637, by N. Iwasawa and T. Mukaiyama.
- 474 Oxidative Coupling of Ketene Dithioacetals with Silylated Carbon Nucleophiles by the Use of Trityl Tetrafluoroborate. *Chem. Lett.*, **1986**, 755, by Y. Hashimoto and T. Mukaiyama.
- 475 The Diastereoselective Addition of Tin(II) Enolates Derived from Carboxylic Thioesters to α -Iminoester. *Chem. Lett.*, **1986**, 915, by T. Mukaiyama, H. Suzuki, and T. Yamada.
- 476 An Effective Activation of Allyl Methyl Ethers by a Catalytic Amount of Trityl Perchlorate in the Allylation of Silyl Enol Ethers. *Chem. Lett.*, **1986**, 1009, by T. Mukaiyama, H. Nagaoka, M. Ohshima, and M. Murakami.
- 477 A Novel Method for the Stereoselective Synthesis of β -Aminoacid Derivatives via Tin(II) Carboxylic Thioester Enolates. *Chem. Lett.*, **1986**, 1013, by N. Yamasaki, M. Murakami, and T. Mukaiyama.
- 478 The Stereoselective Michael Reaction between Silyl Enol Ethers and α,β -Unsaturated Ketones by the Use of Trityl Perchlorate as a Catalyst. *Chem. Lett.*, **1986**, 1017, by T. Mukaiyama, M. Tamura, and S. Kobayashi.
- 479 A Stereocontrolled Synthesis of 2,3,5-Trisubstituted Tetrahydrofurans from Aldolized γ -Diketones via Cyclization-reduction Process. *Chem. Lett.*, **1986**, 1157, by T. Mukaiyama, M. Hayashi, and J. Ichikawa.
- 480 A Facile Method for the Oxidation of Aldehydes to Carboxylic Acids via Acetal-type Diperoxides. *Chem. Lett.*, **1986**, 1385, by T. Mukaiyama, N. Miyoshi, J. Kato, and M. Ohshima.
- 481 A Convenient Method for the Hydrolysis of Diethylthioacetals Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1986**, 1593, by M. Ohshima, M. Murakami, and T. Mukaiyama.

- 482 The Oxidative Michael Reaction. A Highly Diastereoselective Synthesis of 5-Oxocarboxylic Acid Derivatives. *Chem. Lett.*, **1986**, 1623, by Y. Hashimoto and T. Mukaiyama.
- 483 Regioselective Alkylation of 1,3-Dioxolan-2-ylum Cation Derived from α,β -Unsaturated Aldehyde Ethylene Acetal with Lithium Organo Compounds. *Chem. Lett.*, **1986**, 1627, by T. Mukaiyama, Y. Hayashi, and Y. Hashimoto.
- 484 A Highly Stereoselective Synthesis of γ -Acyl- δ -lactones by the Trityl Perchlorate Catalyzed Tandem Michael-aldol Reaction. *Chem. Lett.*, **1986**, 1805, by S. Kobayashi and T. Mukaiyama.
- 485 Asymmetric Sulfenylation of Tin(II) Enolates of Ketones and 3-Acyl-2-oxazolidones. Application to the Synthesis of Optically Active Epoxides. *Chem. Lett.*, **1986**, 1809, by T. Yura, N. Iwasawa, R. Clark, and T. Mukaiyama.
- 486 The Crossed Claisen Ester Condensation Mediated by Titanium(IV) Bistriflate. *Chem. Lett.*, **1986**, 1813, by Y. Tanabe and T. Mukaiyama.
- 487 The Highly Stereoselective Michael Reaction of α,β -Unsaturated Ketones with Silyl Enol Ethers of Thioesters Catalyzed by Trityl Salts. A Facile Stereoselective Synthesis of 5-Oxocarboxylic Acid Ester Derivatives. *Chem. Lett.*, **1986**, 1817, by T. Mukaiyama, M. Tamura, and S. Kobayashi.
- 488 The Double Michael Reaction of α,β -Unsaturated Ketones with Siloxydienes Catalyzed by Trityl Perchlorate Forming Six-Membered Ring Systems. *Chem. Lett.*, **1986**, 1821, by T. Mukaiyama, Y. Sagawa, and S. Kobayashi.

1987

- 489 The Tandem Michael-Aldol Reaction Catalyzed by Trityl Perchlorate. *Heterocycles*, **25**, 205 (1987), by T. Mukaiyama and S. Kobayashi.
- 490 A Conjugate Addition of Allylsilanes to α,β -Unsaturated Ketones Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1987**, 289, by M. Hayashi and T. Mukaiyama.
- 491 The Asymmetric Addition of the Sn(II) Enolates of Thioesters to α -Iminoesters. A Convenient Synthesis of Optically Active cis-Substituted β -Lactams. *Chem. Lett.*, **1987**, 293, by T. Yamada, H. Suzuki, and T. Mukaiyama.
- 492 Highly Efficient Asymmetric Esterification of Cyclic meso-Dicarboxylic Anhydrides Catalyzed by Diphenylboryl Triflate. *Chem. Lett.*, **1987**, 377, by M. Ohshima and T. Mukaiyama.
- 493 An Essentially Mild and Efficient Catalyst System for the Activation of Carbonyl Compounds and Their Derivatives. The Combined Use of Trimethylsilyl Chloride and Tin(II) Chloride. *Chem. Lett.*, **1987**, 463, by N. Iwasawa and T. Mukaiyama.

- 494 A Convenient Preparation of α -(p-Hydroxy- or p-Aminophenyl) Carbonyl Compounds. Addition-Reduction Reaction of Tin(II) Enolate with p-Benzoquinone and Its Mono-N-tosylimino Derivative. *Chem. Lett.*, **1987**, 479, by T. Mukaiyama, R. S. J. Clark, and N. Iwasawa.
- 495 An Efficient and Extremely Mild Catalyst System, Combined Use of Trityl Chloride and Tin(II) Chloride, in the Aldol and Michael Reactions. *Chem. Lett.*, **1987**, 491, by T. Mukaiyama, S. Kobayashi, M. Tamura, and Y. Sagawa.
- 496 A Significant Substituent Effect on the Stereochemistry of the Trityl Salt-Catalyzed Michael Reaction. *Chem. Lett.*, **1987**, 743, by T. Mukaiyama, M. Tamura, and S. Kobayashi.
- 497 New Possibilities in the Michael Reaction by the Use of Tin(II) Enolates. *Chem. Lett.*, **1987**, 791, by T. Yura, N. Iwasawa, and T. Mukaiyama.
- 498 Trityl Salts Catalyzed Aldol-Type Reaction of Alkyl Enol Ethers with Acetals. *Chem. Lett.*, **1987**, 1051, by M. Murakami, H. Minamikawa, and T. Mukaiyama.
- 499 An Efficient and Convenient Method for the Asymmetric Allylation of Aldehydes with Allyltrimethylsilane Catalyzed by Diphenylboryl Triflate. *Chem. Lett.*, **1987**, 1121, by T. Mukaiyama, M. Ohshima, and N. Miyoshi.
- 500 Facile Synthesis of 1,5-Dienes and b,g-Unsaturated Nitriles via Trityl Perchlorate-Catalyzed Allylation. *Chem. Lett.*, **1987**, 1167, by M. Murakami, T. Kato, and T. Mukaiyama.
- 501 α,β -Unsaturated Orthoesters as Michael Acceptors. The Trityl Salt-Catalyzed Michael Reaction of α,β -Unsaturated Orthoesters with Silyl Enol Ethers. *Chem. Lett.*, **1987**, 1183, by S. Kobayashi and T. Mukaiyama.
- 502 An Efficient Method for the Kinetic Resolution of Cyclic dl-Dicarboxylic Anhydrides Catalyzed by Diphenylboryl Triflate. *Chem. Lett.*, **1987**, 1233, by M. Ohshima, N. Miyoshi, and T. Mukaiyama.
- 503 Oxidative Carbon-Carbon Bond Forming Reaction via a 1,3-Dioxolan-2-ylum Cation. *Chem. Lett.*, **1987**, 1243, by Y. Hayashi, K. Wariishi, and T. Mukaiyama.
- 504 An Efficient and Convenient Method for the Preparation of α -Methylenated Ketones from Silyl Enol Ethers. *Chem. Lett.*, **1987**, 1283, by M. Hayashi and T. Mukaiyama.
- 505 The Trityl Cation Mediated Michael Reaction of Ethylthio ketene Dithioacetals with Silyl Enol Ethers. *Chem. Lett.*, **1987**, 1691, by Y. Hashimoto, H. Sugumi, T. Okauchi, and T. Mukaiyama.
- 506 The Trityl Cation Catalyzed Michael Type Reaction of Stannylated Nucleophiles with Ethylthio ketene Dithioacetals. *Chem. Lett.*, **1987**, 1695, by Y. Hashimoto, H. Sugumi, T. Okauchi, and T. Mukaiyama.
- 507 The Michael Reaction of O-Silylated Ketene Acetals with α,β -Unsaturated Esters Promoted by a Catalytic Amount of Aluminum Triflate. *Chem. Lett.*, **1987**, 1719, by N. Minowa and T. Mukaiyama.

- 508 New Method for Oxidative Carbon-carbon Bond Formation by the Reaction of Allyl Ethers, 2,3-Dichloro-5,6-dicyano-p-benzoquinone(DDQ) and Silyl Carbon Nucleophiles. *Chem. Lett.*, **1987**, 1811, by Y. Hayashi and T. Mukaiyama.
- 509 A Convenient Method for the Preparation of Secondary Propargylic Ethers. The Reaction of Acetals with 1-Trimethylsilylalkynes Promoted by the Combined Use of Catalytic Amounts of Tin(IV) Chloride and Zinc Chloride. *Chem. Lett.*, **1987**, 1975, by M. Hayashi, A. Inubushi, and T. Mukaiyama.
- 510 The Michael Reaction of Various Quinones with Silyl Enol Ethers. A Facile Method for the Preparation of Benzofuran and Indole Derivatives. *Chem. Lett.*, **1987**, 2169, by T. Mukaiyama, Y. Sagawa, and S. Kobayashi.
- 511 Asymmetric Allylation with a New Chiral Allylating Agent Prepared from Tin(II) Triflate, Chiral Diamine, and Allylaluminum. *Bull. Chem. Soc. Jpn.*, **60**, 3697 (1987), by N. Minowa and T. Mukaiyama.
- 512 A Convenient Synthesis of C- α -D-Ribofuranosyl Compounds from 1-O-Acetyl-2,3,5-tri-O-benzyl- β -D-ribose by the Promotion of Triphenylmethyl Perchlorate. *Carbohydrate Research*, **171**, 81 (1987), by T. Mukaiyama and S. Kobayashi.
- 513 The Tin(II) Enolate Addition Reaction to α,β -Unsaturated Ketones and Quinones. *Tetrahedron*, **43**, 5003 (1987), by T. Mukaiyama, N. Iwasawa, T. Yura, and R. S. J. Clark

1988

- 514 The Stereoselective Michael Reaction of α,β -Unsaturated Thioesters with Silyl Enol Ethers Promoted by Combined Use of Antimony(V) Chloride and Tin(II) Triflate. *Chem. Lett.*, **1988**, 91, by S. Kobayashi, M. Tamura, and T. Mukaiyama.
- 515 The Enantioselective Michael Reaction of Tin(II) Enolates. *Chem. Lett.*, **1988**, 1021, by T. Yura, N. Iwasawa, and T. Mukaiyama.
- 516 The Catalytic Asymmetric Michael Reaction of Tin(II) Enethiolates. *Chem. Lett.*, **1988**, 1025, by T. Yura, N. Iwasawa, K. Narasaka, and T. Mukaiyama.
- 517 The Addition Reaction of Acetals to Activated Olefins under Extremely Mild Conditions. *Chem. Lett.*, **1988**, 1101, by T. Mukaiyama, K. Wariishi, Y. Saito, M. Hayashi, and S. Kobayashi.
- 518 The Regioselective Addition Reaction of 1,2-Benzoquinones with Silyl Enol Ethers Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1988**, 1105 by, Y. Sagawa, S. Kobayashi, and T. Mukaiyama.
- 519 Substitution Reaction of Ketene Dithioacetals with Carbon Electrophiles by the Promotion of Trityl Chloride-Tin(II) Chloride or Trimethylsilyl Chloride-Tin(II) Chloride Catalyst System. *Chem. Lett.*, **1988**, 1291 by T. Mukaiyama, H. Sugumi, H. Uchiro, and S. Kobayashi.
- 520 Trityl Salt Catalyzed Aldol Reaction between α,β -Acetylenic Ketones and Silyl Enol Ethers. *Chem. Lett.*, **1988**, 1491, by S. Kobayashi, S. Matsui, and T. Mukaiyama.

- 521 Facile Synthesis of γ,δ -Unsaturated β -Azido Carbonyl Compounds via Successive Nucleophilic Additions on Cinnamaldehyde Dimethyl Acetal Catalyzed by Trityl Hexachloroantimonate. *Chem. Lett.*, **1988**, 1495, by T. Mukaiyama, P. Leon, and S. Kobayashi.
- 522 One-Pot Synthesis of α -Mono- and α,α -Disubstituted Cyclic Ethers from Lactones. *Chem. Lett.*, **1988**, 1725, by T. Mukaiyama, K. Homma, and H. Takenoshita.
- 523 Possible Mechanism for the Stereoselective Double Michael Reaction Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1988**, 1777, by S. Kobayashi, Y. Sagawa, H. Akamatsu, and T. Mukaiyama.
- *** A Convenient Method for the Preparation of Secondary Propargylic Ethers. The Reactions of Acetals with 1-Trimethylsilyl-1-alkynes Promoted Tin(IV) Chloride and Zinc Chloride. *Bull. Chem. Soc. Jpn.*, **61**, 4037 (1988), by M. Hayashi, A. Inubushi, and T. Mukaiyama.

1989

- 524 Stereoselective 1,2-cis Glycosylation Reaction of 1-O-Acetylribose with Silylated Nucleophiles by the Promotion of a New Catalyst System. *Chem. Lett.*, **1989**, 145, by T. Mukaiyama, T. Shimpuku, T. Takashima, and S. Kobayashi.
- 525 A Convenient Synthesis of Cyclic Ethers from Siloxy Carbonyl Compounds. *Chem Lett.*, **1989**, 259, by K. Homma and T. Mukaiyama.
- 526 Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes Promoted by the Combined Use of Chiral Diamine Coordinated Tin(II) Triflate and Tributyltin Fluoride. *Chem. Lett.*, **1989**, 297, by S. Kobayashi and T. Mukaiyama.
- 527 Oxidation-Reduction Hydration of Olefins with Molecular Oxygen and 2-Propanol Catalyzed by Bis(acetylacetonate)-cobalt(II). *Chem. Lett.*, **1989**, 449, by T. Mukaiyama, S. Isayama, S. Inoki, K. Kato, T. Yamada, and T. Takai.
- 528 Bis(trifluoroacetylacetonato)cobalt(II) Catalyzed Oxidation-Reduction Hydration of Olefins Selective Formation of Alcohols from Olefins. *Chem. Lett.*, **1989**, 515, by S. Inoki, K. Kato, T. Takai, S. Isayama, T. Yamada, and T. Mukaiyama.
- 529 Novel Method for Oxidation of Secondary Alcohols into Ketones with Molecular Oxygen by Using Cobalt(II) Complex Catalyst. *Chem. Lett.*, **1989**, 519, by T. Yamada and T. Mukaiyama.
- 530 Hydration of Olefins with Molecular Oxygen and Triethylsilane Catalyzed by Bis(trifluoroacetylacetonato)-cobalt(II). *Chem. Lett.*, **1989**, 569, by S. Isayama and T. Mukaiyama.
- 531 Novel Method for the Preparation of Triethylsilyl Peroxides from Olefins by the Reaction with Molecular Oxygen and Triethylsilane Catalyzed by Bis(1,3-diketonato)cobalt(II). *Chem. Lett.*, **1989**, 573, by S. Isayama and T. Mukaiyama.

- 532 Convenient Synthesis of Disubstituted Cyclic Ethers. Synthesis of (-)-cis-Rose Oxide and (cis-6-Methyltetrahydropyran-2-yl)acetic Acid. *Chem. Lett.*, **1989**, 893, by K. Homma and T. Mukaiyama.
- 533 Effective Activation of Carbonyl and Related Compounds with Phosphonium Salts. The Aldol and Michael Reactions of Carbonyl Compounds with Silyl Nucleophiles and Alkyl Enol Ethers. *Chem. Lett.*, **1989**, 993, by T. Mukaiyama, S. Matsui, and K. Kashiwagi.
- 534 Efficient Activation of Acetals toward Nucleophiles by the Use of Transition Metal Salts. New Method for Cyanation of Acetals and Orthoester Derived from Aromatic and α,β -Unsaturated Carbonyl Compounds with Trimethylsilyl Cyanide under Neutral Condition. *Chem. Lett.*, **1989**, 997, by T. Mukaiyama, T. Soga, and H. Takenoshita.
- 535 Perfect Stereochemical Control in the Synthesis of syn- α -Methyl- β -hydroxy Thioesters by Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes. *Chem. Lett.*, **1989**, 1001, by T. Mukaiyama, H. Uchiro, and S. Kobayashi.
- 536 A New Method for Preparation of Alcohols from Olefins with Molecular Oxygen and Phenylsilane by the Use of Bis(acetylacetonato)cobalt(II). *Chem. Lett.*, **1989**, 1071, by S. Isayama and T. Mukaiyama.
- 537 [1,2-Benzenediolato(2-)-O,O']oxotitanium. A Mild and Efficient Catalyst for the Michael Reaction of Ketene Silyl Acetals with α,β -Unsaturated Ketones. *Chem. Lett.*, **1989**, 1171, by T. Mukaiyama and R. Hara.
- 538 Efficient Activation of Acetals toward Nucleophiles with [Rh(COD)Cl]₂ Catalyst. New Method for the Preparation of Aldols from Acetals and Silyl Enol Ethers by the Combined Use of Catalytic Amounts of [Rh(COD)Cl]₂ and Trimethylsilyl Cyanide. *Chem. Lett.*, **1989**, 1273, by T. Mukaiyama, T. Soga, and H. Takenoshita.
- 539 The Addition Reaction of Acetals(Aldehydes) to Simple Olefins by the Use of a New Catalyst System. *Chem. Lett.*, **1989**, 1277, by T. Mukaiyama, K. Wariishi, M. Furuya, and S. Kobayashi.
- 540 Asymmetric Aldol-type Reaction between Both Achiral Ketene Silyl Acetals and Aldehydes by the Use of a Chiral Promoter. *Chem. Lett.*, **1989**, 1319, by S. Kobayashi, T. Sano, and T. Mukaiyama.
- 541 A Convenient Synthesis of β -Aminoesters. The Reaction of Imines with Ketene Silyl Acetals Catalyzed by Phosphonium Salts. *Chem. Lett.*, **1989**, 1397, by T. Mukaiyama, K. Kashiwagi, and S. Matsui.
- 542 Reductive Cross Coupling Reaction of a Glyoxylate with Carbonyl Compounds. A Facile Synthesis of α,β -Dihydroxycarboxylate Based on a Low Valent Titanium Compound. *Chem. Lett.*, **1989**, 1401, by T. Mukaiyama, H. Sugimura, T. Ohno, and S. Kobayashi.
- 543 An Efficient Chiral Promoter in the Aldol-type Reaction. Chiral Diamine Coordinated Tin(II) Triflate-Dibutylindiacetate Complex. *Chem. Lett.*, **1989**, 1757, by T. Mukaiyama, H. Uchiro, and S. Kobayashi.

- 544 [1,2-Benzendiolato(2-)-O-O']oxotitanium. A Chemoselective and Efficient Catalyst for Aldol-type Reaction of Ketene Silyl Acetals with Aldehydes. *Chem. Lett.*, **1989**, 1909, by R. Hara and T. Mukaiyama.
- 545 A Highly Enantioselective Synthesis of 2-Substituted Malates by Asymmetric Aldol Reaction. *Chem. Lett.*, **1989**, 2069, by S. Kobayashi, Y. Fujishita, and T. Mukaiyama.
- 546 A Convenient Method for the Direct Preparation of Ketones from Vinylsilanes with Molecular Oxygen Catalyzed by Cobalt(II) Complex. *Chem. Lett.*, **1989**, 2233, by K. Kato and T. Mukaiyama.
- 547 Catalytic Use of Tin(II) Reagents in Organic Synthesis. *Tetrahedron*, **45**, 1197 (1989), by N. Iwasawa, T. Yura, and T. Mukaiyama.
- 548 A Convenient Method for the Preparation of Secondary Propargylic Ethers. The Reactions of Acetals with 1-Trimethylsilyl-1-alkynes Promoted by the Combined Use of catalytic Amounts of Tin(IV) Chloride and Zinc Chloride. *Bull. Chem. Soc. Jpn.*, **61**, 4037 (1989), by M. Hayashi, A. Inubushi, and T. Mukaiyama.

1990

- 549 A Convenient Method for the Stereoselective Preparation of trans-2-Hydroxymethyltetrahydrofurans by the Oxidative Cyclization of 5-Hydroxy-1-alkenes with Molecular Oxygen Catalyzed by Cobalt(II) Complex. *Chem. Lett.*, **1990**, 67, by S. Inoki and T. Mukaiyama.
- 550 Catalytic Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes by the Use of Chiral Diamine Coordinated Tin(II) Triflate. *Chem. Lett.*, **1990**, 129, by T. Mukaiyama, S. Kobayashi, H. Uchiro, and I. Shiina.
- 551 Stereoselective Addition of t-Butyldimethylsiloxy-1-ethoxyethene to 2-Trichloromethyl-1,3-dioxan-4-ones. *Chem. Lett.*, **1990**, 161, by K. Homma and T. Mukaiyama.
- 552 4-O-Benzyl-2,3-O-Isopropylidene-L-threose: A Useful Building Block for Stereoselective Synthesis of Monosaccharides. *Tetrahedron*, **46**, 265 (1990), by T. Mukaiyama, K. Suzuki, T. Yamada, and F. Tabusa.
- 553 Efficient Method for the Preparation of (Z)- α -Alkoxy- α , β , γ -unsaturated Nitriles Starting from the Corresponding Acetals of (E)-Chalcone Derivatives. *Chem. Lett.*, **1990**, 229, by T. Mukaiyama, H. Takenoshita, M. Yamada, and T. Soga.
- 554 New Role of Tin(II) Compounds in Organic Synthesis. *J. Organomet. Chem.*, **382**, 39 (1990), by T. Mukaiyama and S. Kobayashi.
- 555 A Convenient Method for Stereoselective Synthesis of β -Aminoesters. Iron(II) Iodide or Trityl Hexachloroantimonate as an Effective Catalyst in the Reaction of Ketene Silyl Acetals with Imines. *Chem. Lett.*, **1990**, 889, by T. Mukaiyama, H. Akamatsu, and J.S. Han.
- 556 [1,1'-Bi-2-naphthaldnediolato(2-)-O,O']oxotitanium. An Efficient Chiral Catalyst for the Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes. *Chem. Lett.*, **1990**, 1015, by T. Mukaiyama, A. Inubushi, S. Suda, R. Hara and S. Kobayashi.

- 557 Facile Synthesis of Optically Active anti- α , β -Dihydroxy Ester Derivatives. *Chem. Lett.*, **1990**, 1019, by T. Mukaiyama, H. Uchiro, I. Shiina, and S. Kobayashi.
- 558 Diposphonium Salts as Effective Reagents for Stereoselective Synthesis of 1,2-cis-Ribofuranosides. *Chem. Lett.*, **1990**, 1143, by T. Mukaiyama and S. Suda.
- 559 A New Efficient Chiral Catalyst System. Combines Use of Tin(II) Oxide, Trimethylsilyl Triflate and Chiral Diamine in the Asymmetric Aldol Reaction. *Chem. Lett.*, **1990**, 1147, by T. Mukaiyama, H., Uchiro, and S. Kobayashi.
- 560 Asymmetric Aldol-type Reaction between Both Achiral Ketene Silyl Acetals of Acetic Acid Esters and Aldehydes by the Use of Chiral Promoters. *Tetrahedron*, **46**, 4653 (1990), by T. Mukaiyama, S. Kobayashi, and T. Sano.
- 561 Stereoselective Syntheses of α -Substituted Cyclic Ethers and syn-1,3-Diols. *Bull. Chem. Soc. Jpn.*, **63**, 1898 (1990), by K. Homma, H. Takenoshita, and T. Mukaiyama.
- 562 Reactions of Acetals of α , β -Unsaturated Ketones with Silylated Nucleophiles as Trimethylsilyl Cyanide and Phenylthiotrimethylsilanes. *Chem. Lett.*, **1990**, 1259, by T. Mukaiyama, H. Takenoshita, M. Yamada, and T. Soga.
- 563 Nitrosation of α , β -Unsaturated Carboxamide with Nitric Oxide and Triethylsilane Catalyzed by Cobalt(II) Complex. *Chem. Lett.*, **1990**, 1395, by K. Kato and T. Mukaiyama.
- 564 The Efficient Catalytic Asymmetric Aldol-type Reaction. *Chem. Lett.*, **1990**, 1455, by S. Kobayashi, Y. Fujishita, and T. Mukaiyama.
- 565 Epoxidation of Olefins with Molecular Oxygen and Alcohol Catalyzed by Bis(2-alkyl-1,3-diketonato)oxovanadium(IV). *Chem. Lett.*, **1990**, 1657, by T. Takai, T. Yamada, and T. Mukaiyama.
- 566 Nickel(II) Complex Catalyzed Epoxidation of Olefins with Molecular Oxygen and Primary Alcohol. *Chem. Lett.*, **1990**, 1661, by T. Mukaiyama, T. Takai, T. Yamada, and O. Rhode.
- 567 Stereoselective Reduction of t-Butyldimethylsiloxy Group of Ethyl 2-Trichloromethyl-4-t-butyldimethyl-siloxy-1,3-dioxan-4-acetate. *Heterocycles*, **31**, 443 (1990), by K. Homma and T. Mukaiyama.
- 568 Regioselective Condensation of Ethynyl Vinyl Ketone or 2-Propynyl Ether Derivatives with Silyl Enol Ethers Catalyzed by Trityl Perchlorate. *Bull. Chem. Soc. Jpn.*, **63**, 2687 (1990), by T. Mukaiyama, S. Matsui, K. Homma, and S. Kobayashi.
- 569 Catalytic Asymmetric Aldol Reaction of Ketene Silyl Acetals with Aldehydes by Use of Chiral Bissulfonamido Zinc(II). *Chem. Lett.*, **1990**, 1777, by T. Mukaiyama, T. Takashima, H. Kusaka, and T. Shimpuku.
- 570 A New and Facile Method for the Direct Preparation of α -Hydroxycarboxylic Acid Esters from α , β -Unsaturated Carboxylic Acid Esters with Molecular Oxygen and Phenylsilane Catalyzed by Bis(dipivaloylmethanato)manganese(II) Complex. *Chem. Lett.*, **1990**, 1869, by S. Inoki, K. Kato, S. Isayama, and T. Mukaiyama.

- 571 A Novel Method for the Preparation of 2-Hydroxyiminocarboxylic Acid Esters. Cobalt(II) Catalyzed α -Oxidation of α, β -Unsaturated Esters with Butyl Nitrite and Phenylsilane. *Chem. Lett.*, **1990**, 1917, by K. Kato and T. Mukaiyama.
- 572 Efficient Activation of Acetals, Aldehydes, and Imines toward Silylated Nucleophiles by the Combined Use of Catalytic Amounts of $[\text{Rh}(\text{COD})\text{Cl}]_2$ and TMS-CN under Almost Neutral Conditions. *Bull. Chem. Soc. Jpn.*, **63**, 3122 (1990), by T. Soga, H. Takenoshita, M. Yamada, and T. Mukaiyama.
- 573 Cobalt(II) Catalyzed Coupling Reaction of α, β -Unsaturated Compounds with Aldehydes by the Use of Phenylsilane. New Method for Preparation of α -Hydroxy Nitriles, Amides, and Esters. *Chem. Lett.*, **1990**, 2005, by S. Isayama and T. Mukaiyama.
- 574 A Convenient and Versatile Route for the Stereoselective Synthesis of Monosaccharides via Key Chiral Synthons from Achiral Sources. *Chem. Lett.*, **1990**, 2201, by T. Mukaiyama, I. Shiina, and S. Kobayashi.
- 575 An Effective Activation of O-Trimethylsilyl Monothioacetal under Extremely Mild Conditions Using a Novel Catalysts System, Trimethylsilyl Chloride and Indium(III) chloride. *Chem. Lett.*, **1990**, 2239, by T. Mukaiyama, T. Ohno, T. Nishimura, J. S. Han, and S. Kobayashi.

1991

- 576 Highly Efficient Method for Epoxidation of Olefins with Molecular Oxygen and Aldehydes Catalyzed by Nickel(II) Complexes. *Chem. Lett.*, **1991**, 1, by T. Yamada, T. Takai, O. Rhode, and T. Mukaiyama.
- 577 Oxidation of Aldehydes into Carboxylic Acids with Molecular Oxygen Using Nickel(II) Complex Catalysts. *Chem. Lett.*, **1991**, 5, by T. Yamada, O. Rhode, T. Takai, and T. Mukaiyama.
- 578 Oxygenation of Silyl Enol Ethers and Silyl Ketene Acetals with Molecular Oxygen and Aldehyde Catalyzed by Nickel(II) Complex. A Convenient Method for the Preparation of α -Hydroxy Carbonyl Compounds. *Chem. Lett.*, **1991**, 281, by T. Takai, T. Yamada, O. Rhode and T. Mukaiyama.
- 579 Stereoselective Synthesis of 1,2-trans-Ribofuranosides from 1-Hydroxy Sugars by the Use of [1,2-Benzendiolo(2-)-O,O']oxotitanium and Trifloromethanesulfonic Anhydride. *Chem. Lett.*, **1991**, 431, by S. Suda and T. Mukaiyama.
- 580 A Highly Stereoselective Synthesis of α -Glucosides from 1-O-Acetyl Glucose by Use of Tin(IV) Chloride-Silver Perchlorate Catalyst System. *Chem. Lett.*, **1991**, 533, by T. Mukaiyama, T. Takashima, M. Katsurada, and H. Aizawa.
- 581 A Facile Synthesis of Cyanohydrin Trimethylsilyl Ethers by the Addition Reaction of Trimethylsilyl Cyanide with Aldehydes under basic Condition. *Chem. Lett.*, **1991**, 537, by S. Kobayashi, Y. Tsuchiya, and T. Mukaiyama.
- 582 Enantioselective Addition Reaction of Trimethylsilyl Cyanide with Aldehydes Using a Chiral Tin(II) Lewis Acid. *Chem. Lett.*, **1991**, 541, by S. Kobayashi, Y. Tsuchiya, and T. Mukaiyama.

- 583 The Bayer-Villiger Oxidation of Ketones Catalyzed by Nickel(II) Complexes with Combined Use of Molecular Oxygen and an Aldehyde. *Chem. Lett.*, **1991**, 641, by T. Yamada, K. Takahashi, K. Kato, T. Takai, S. Inoki, and T. Mukaiyama.
- 584 Reactions of α , β -Unsaturated Ketone Acetals with Trimethylsilyl Cyanide and trimethylsilyl Sulfides. *Bull. Chem. Soc. Jpn.*, **64**, 1108 (1991), by T. Soga, H. Takenoshita, M. Yamada, J.S. Han, and T. Mukaiyama.
- 585 The Chiral Catalyst control. A Significant Role of a Chiral Catalyst in the Diastereoselective Aldol Reaction Using Chiral Aldehydes. *Chem. Lett.*, **1991**, 831, by S. Kobayashi, A. Ohtsubo, and T. Mukaiyama.
- 586 Asymmetric Aldol Reaction between Achiral Silyl Enol Ethers and Achiral Aldehydes by Use of a Chiral Promoter System. *J. Am. Chem. Soc.*, **113**, 4247 (1991), by S. Kobayashi, T. Uchiro, Y. Fujishita, I. Shiina, and T. Mukaiyama.
- 587 Oxovanadium(IV) Complex Catalyzed Oxygenation of α , β -Unsaturated Carboxamide into 2,3-Epoxycarboxamide with Molecular Oxygen and an Aldehyde. *Chem. Lett.*, **1991**, 941, by S. Inoki, T. Takai, T. Yamada, and T. Mukaiyama.
- 588 Reversal Phenomena of the Preferential Activation of Aldehydes to the Corresponding Acetals under Non-Basic with t-Buthyldimethylsilyl Enol Ethers Using TBSCl-InCl₃ as a Catalyst. *Chem. Lett.*, **1991**, 949, by T. Mukaiyama, T. Ohno, J. S. Han and S. Kobayashi.
- 589 An Efficient Method for the Stereoselective Synthesis of 1,2-cis- and 1,2-trans-Ribofuranosides from 1-Hydroxy Ribofuranose by the Use of Diphenyltin Sulfide and Trifluoromethanesulfonic Anhydride. *Chem. Lett.*, **1991**, 981, by T. Mukaiyama, K. Matsubara, and S. Suda.
- 590 The Evaluation of Catalysts Generated from Lewis Acids and Silver Perchlorate in a Highly Stereoselective Glycosylation of 1-O-Acetyl-D-Glucose. *Chem. Lett.*, **1991**, 985, by T. Mukaiyama, M. Katsurada, and T. Takashima.
- 591 Highly Enantioselective Synthesis of Propargylic Alcohols by Way of the Asymmetric Aldol Reaction. *Chem. Lett.*, **1991**, 989, by T. Mukaiyama, M. Furuya, A. Ohtsubo, and S. Kobayashi.
- 592 The Catalytic Fridel-Crafts Acylation Reaction Using a Catalyst Generated from GaCl₃ and a Silver Salt. *Chem. Lett.*, **1991**, 1059, by T. Mukaiyama, T. Ohno, T. Nishimura, S. Suda, and S. Kobayashi.
- 593 An Efficient Asymmetric Aldol Reaction Promoted by a Chiral Tin(II) Lewis Acid Consisting of Tin(II) Triflate, (R)-2-[(N-1-Naphtylamino)methyl]tetrahydrothiophene and a Tin(IV) Compound. *Chem. Lett.*, **1991**, 1209, by T. Mukaiyama, H. Asanuma, I. Hachiya, T. Harada, and S. Kobayashi.
- 594 Direct Epoxidation of Olefins Catalyzed by Nickel(II) Complexes with Molecular Oxygen and Aldehydes. *Bull. Chem. Soc. Jpn.*, **64**, 2109 (1991), by T. Yamada, T. Takai, O. Rhode, and T. Mukaiyama.

- 595 The Asymmetric Diels-Alder Reaction of α , β -Unsaturated Aldehydes with Dienes Using a Chiral Boron Reagent as a Catalyst. *Chem. Lett.*, **1991**, 1341, by S. Kobayashi, M. Murakami, T. Harada, and T. Mukaiyama.
- 596 Catalytic Asymmetric Aldol Reaction of the Silyl Enol Ether of Acetic Acid Thioester with Aldehydes Using Chiral Tin(II) Lewis Acid. *Tetrahedron Asymmetry*, **2**, 635 (1991), S. Kobayashi, M. Furuya, A. Ohtsubo, and T. Mukaiyama.
- 597 Aerobic Epoxidation of Olefinic Compounds Catalyzed by Tris(1,3-diketonato)ion(III). *Bull. Chem. Soc. Jpn.*, **64**, 2513 (1991), by T. Takai, E. Hata, T. Yamada, and T. Mukaiyama.
- 598 A Novel Catalyst System, Trimethylsilyl Chloride and Indium(III) Chloride, as an Efficient Catalyst in the Sulfide Synthesis. *Bull. Chem. Soc. Jpn.*, **64**, 2524 (1991), by T. Mukaiyama, T. Ohno, T. Nishimura, J. S. Han, and S. Kobayashi.
- 599 Aerobic Oxygenation of Olefinic Compounds into the Corresponding α -Hydroxy Ketones Using the Catalyst System of OsO₄ and Ni(II) Complex. *Chem. Lett.*, **1991**, 1499, by T. Takai, T. Yamada, and T. Mukaiyama.
- 600 The Catalytic Beckmann Rearrangement of Ketoxime Trimethylsilyl Ethers Using an Antimony(V) Salt. *Chem. Lett.*, **1991**, 1653, by T. Mukaiyama and T. Harada.
- 601 A Novel and Efficient Method for the Preparation of α -Hydroxyimino Carbonyl Compounds from α , β -Unsaturated Carbonyl Compounds with Butyl Nitrite and Phenylsilane Catalyzed by a Cobalt(II) Complex. *Bull. Chem. Soc. Jpn.*, **64**, 2948 (1991), by K. Kato and T. Mukaiyama.
- 602 Highly Enantioselective Synthesis of syn- α , β -Dihydroxy Thioesters by the Asymmetric Aldol Reaction Using a Chiral Tin(II) Lewis Acid. *Chem. Lett.*, **1991**, 1901, by T. Mukaiyama, I. Shiina, and S. Kobayashi.
- 603 The Catalytic Fridel-Crafts Acylation Reaction and the Catalytic Beckmann Rearrangement Promoted by a Gallium(III) or an Antimony(V) Cationic Species. *Synthesis*, **12**, 1216 (1991), by T. Harada, T. Ohno, S. Kobayashi, and T. Mukaiyama.
- 1992
- 604 The Catalytic Pinacol Rearrangement of 1,2-Diols Using Antimony(V) Salt. *Chem. Lett.*, **1992**, 81, by T. Harada and T. Mukaiyama.
- 605 A Novel Method for the Preparation of Optically Active Dipeptide. Chemo- and Stereoselective Reduction of 2-Hydroxyimino Amides with Samarium Diodide. *Chem. Lett.*, **1992**, 181, by T. Mukaiyama, K. Yoroze, K. Kato, and T. Yamada.
- 606 A Novel Method for Preparation of Glycocerol Monoesters from Glycidyl Esters with Molecular Oxygen Catalyzed by Ni(II) Complex. *Chem. Lett.*, **1992**, 231, by T. Mukaiyama, K. Imagawa, T. Yamada, and T. Takai.
- 607 An Efficient Method for the Preparation of Chiral Synthons Starting from Racemic Compounds by Way of Asymmetric Synthesis. *Chem. Lett.*, **1992**, 373, by S. Kobayashi, I. Shiina, J. Izumi, and T. Mukaiyama.

- 608 A Novel Catalyst System, Antimony(V) Chloride-Lithium Perchlorate ($\text{SbCl}_5\text{-LiClO}_4$), in the Friedel-Crafts Acylation Reaction. *Chem. Lett.*, **1992**, 435, by T. Mukaiyama, K. Suzuki, J.S. Han, and S. Kobayashi.
- 609 An Efficient Method for the Preparation of Carboxylic Esters via Mixed Anhydrides by the Promotion of a Catalytic Amount of Lewis Acid. *Chem. Lett.*, **1992**, 625, by T. Mukaiyama, I. Shiina, and M. Miyashita.
- 610 Stereoselective Glycosylation Reaction Starting from 1-O-Trimethylsilyl Sugars by Using Diphenyltin Sulfide and a Catalytic Amount of Active Acidic Species. *Chem. Lett.*, **1992**, 1041, by T. Mukaiyama and K. Matsubara.
- 611 Iron(III) Complex Catalyzed Nitrosation of Terminal and 1,2-Disubstituted Olefins with Butyl Nitrite and Phenylsilane. *Chem. Lett.*, **1992**, 1137, by K. Kato and T. Mukaiyama.
- 612 Stereoselective Synthesis of 1,2-cis-Arabinofuranosides Using a New Titanium Catalyst. *Chem. Lett.*, **1992**, 1401, by T. Mukaiyama, M. Yamada, S. Suda, Y. Yokomizo, and S. Kobayashi.
- 613 A New and Efficient Method for the Preparation of S-Phenyl Carbothioates via Mixed Anhydrides Using Active Titanium(IV) Salts. *Chem. Lett.*, **1992**, 1747, by T. Mukaiyama, M. Miyashita and I. Shiina.
- 614 An Efficient Catalytic Friedel-Crafts Acylation Reaction of Equimolar Amounts of Aromatic Compounds and Free Carboxylic Acids or Their Trimethylsilyl Esters via Mixed Anhydrides. *Chem. Lett.*, **1992**, 1751, by T. Mukaiyama and K. Suzuki.
- 615 Stereoselective Synthesis of 2-amino-2-deoxy- β -D-Glucopyranosides and Galactopyranosides by Using a Catalytic Amount of Tin(II) Trifluoromethanesulfonate. *Chem. Lett.*, **1992**, 1755, by T. Mukaiyama and K. Matsubara.
- 616 A Convenient Method for the Preparation of Ethers from Epoxides. Trityl Hexafluoroantimonate-catalyzed Sequential Reactions, Rearrangement and Reductive Condensation of Epoxides. *Chem. Lett.*, **1992**, 1901, by T. Harada and T. Mukaiyama.
- 617 Cobalt(II) Complex Catalyzed Epoxidation of Olefins by Combined Use of Molecular Oxygen and Cyclic Ketones. *Chem. Lett.*, **1992**, 2077, by T. Takai, E. Hata, K. Yorozu, and T. Mukaiyama.
- 618 A Highly Stereoselective Synthesis of β -Glucosides from Pentaacylglucopyranose and Alkyl Silyl Ether by the Use of a Catalytic Amount of Active Species Generated from Methyltrichlorosilane and Silver Perchlorate. *Chem. Lett.*, **1992**, 2105, by T. Mukaiyama, M. Katsurada, and Y. Iida.
- 619 β -Selective Epoxidation of Cholesterol Derivatives with Molecular Oxygen and Aldehyde Catalyzed by Manganese(II) Complex. *Chem. Lett.*, **1992**, 2109, by T. Yamada, K. Imagawa and T. Mukaiyama.
- 620 Enantioselective Epoxidation of Unfunctionalized Olefins with Molecular Oxygen and Aldehyde Catalyzed by Optically Active Manganese(III) Complexes. *Chem. Lett.*, **1992**, 2231, by T. Yamada, K. Imagawa, T. Nagata, and T. Mukaiyama.

- 621 The Esterification Reaction between Silyl Derivatives of Carboxylic Acids and Alcohols by the Promotion of a Catalytic Amount of Lewis Acid. *Chem. Lett.*, **1992**, 2319 by I. Shiina and T. Mukaiyama.
- 622 An Efficient Synthesis of 6-Deoxy-D-allose from Simple Achiral Starting Materials. *Chem. Lett.*, **1992**, 2419, by S. Kobayashi, S. Onozawa and T. Mukaiyama.

1993

- 623 Facile Synthesis of Amino-6-Deoxyaldohexoses from Simple Achiral Starting Materials *Bull. Soc. Chim. Fr.*, **130**, 388 (1993), by T. Mukaiyama, H. Anan, I. Shiina and S. Kobayashi.
- 624 An Efficient Synthesis of Unsymmetrical Sulfides from Organic Disulfides and Aromatic Compounds. *Chem. Lett.*, **1993**, 1, by T. Mukaiyama and K. Suzuki.
- 625 Trityl Antimonate-catalyzed Sequential Reactions of Epoxides with Silylated Nucleophiles. Rearrangement of Epoxides and Carbon-carbon or Carbon-oxygen Bond-forming Nucleophilic Reaction onto the Intermediate Carbonyl Compounds. *Bull. Chem. Soc. Jpn.*, **66**, 882, (1993) by T. Harada, and T. Mukaiyama
- 626 Catalytic Asymmetric Aldol-type Reaction Using a Chiral Tin(II) Lewis Acid. *Tetrahedron*, **49**, 1761 (1993), by S. Kobayashi H. Uchiro, I. Shiina and T. Mukaiyama.
- 627 Asymmetric Aerobic Epoxidation of Unfunctionalized Olefins Catalyzed by Optically Active α -alkoxycarbonyl- β -ketoiminato Manganese(III) Complexes. *Chem. Lett.* **1993**, 327 by T. Mukaiyama, T. Yamada, T. Nagata, and K. Imagawa.
- 628 Aerobic Epoxidation of Olefins Catalyzed by Cobalt(II) Complex Using Propionaldehyde Diethyl Acetal as a Reductant. *Chem. Lett.*, **1993**, 439, by T. Mukaiyama, K. Yorozu, T. Takai, and T. Yamada.
- 629 Stereoselective Synthesis of O-(2-Azido-2-deoxy- α -D- galactopyranosyl)-L-Serine and -L-threonine Derivatives by Using the Catalytic Amount of Active Acidic Species. *Chem. Lett.*, **1993**, 581, by K. Matsubara and T. Mukaiyama.
- 630 An Efficient Method for the Stereoselective Synthesis of β -D- and α -D-Ribofuranosides from 2,3,5-tri-O-benzyl-D-Ribofuranose by the use of [catecholato(2-)-O,O']Oxotitanium and Trifluoromethanesulfonic Anhydride. *Bull. Chem. Soc. Jpn.*, **66**, 1211 (1993), by S. Suda and T. Mukaiyama.
- 631 A New and Efficient Esterification Reaction via Mixed Anhydrides by the Promotion of a Catalytic Amount of Lewis Acid. *Bull. Chem. Soc. Jpn.*, **66**, 1516, by M. Miyashita, I. Shiina, S. Miyoshi, and T. Mukaiyama.
- 632 Enantioselective Synthesis of the α -Hydroxy- α -methyl- β -hydroxy Units via Asymmetric Aldol Reaction. *Heterocycles*, **35**, 719, by T. Mukaiyama, I. Shiina, J. Izumi, and S. Kobayashi.
- 633 Catalytic Stereoselective Synthesis of α - or β - Ribofuranosides by Combined Use of Silver Salts and Lithium Perchlorate of Diphenyltin Sulfide. *Chem. Lett.*, **1993**, 781, by T. Mukaiyama and N. Shimomura.

- 634 Facile Synthesis of Lactones from Silyl ω -Siloxycarboxylates Using *p*-Trifluoromethylbenzoic Anhydride and a Catalytic Amount of Active Lewis Acid. *Chem. Lett.*, **1993**, 907, by T. Mukaiyama, J. Izumi, M. Miyashita, and I. Shiina.
- 635 A Convenient Synthesis of Carboxanilides from Silyl Carboxylates and Weakly Nucleophilic Anilines Using *p*-Trifluoromethylbenzoic Anhydride and a Catalytic Amount of Active Titanium(IV) Salt. *Chem. Lett.*, **1993**, 1053, by M. Miyashita, I. Shiina, and T. Mukaiyama.
- 636 Catalytic Stereoselective Synthesis of α - or β -Glucosides Using a Single Glycosyl Donor, 1-O-2'-(2'-Methoxyethoxy)acetyl-Glucopyranose Derivative. *Chem. Lett.*, **1993**, 1373, by K. Matsubara, T. Sasaki, and T. Mukaiyama.
- 637 Oxygenation of Tetrahydrofurans with Combined Use of Molecular Oxygen and α -Diketone Catalyzed by Cobalt(III) Complex. *Chem. Lett.*, **1993**, 1513, by E. Hata, T. Takai, and T. Mukaiyama.
- 638 Epoxidation of Olefinic Compounds with Combined Use of Molecular Oxygen and Propionaldehyde Diethyl Acetal Catalyzed by Cobalt(II) Complex. Efficient Method for the Preparation of Acid-sensitive Epoxides. *Chem. Lett.*, **1993**, 1579, by K. Yorozu, T. Takai, T. Yamada, and T. Mukaiyama.
- 639 The Catalytic Friedel-Crafts Acylation Reaction Starting from Aromatic Compounds and Free Carboxylic Acids (or Their Trimethylsilyl Esters) by Promotion of Silicon(IV) Cationic Species via Mixed Anhydrides. *Bull. Chem. Soc. Jpn.*, **66**, 3729 (1993), by K. Suzuki, H. Kitagawa, and T. Mukaiyama.
- 640 Catalytic Stereoselective Synthesis of β -Ribonucleosides from Methyl Ribofuranosyl Carbonate and Trimethylsilylated Nucleoside Bases by Combined Use of silver Salts and Diphenyltin Sulfide. *Chem. Lett.*, **1993**, 1627, by T. Mukaiyama, T. Matsutani, and N. Shimomura.
- 641 Catalytic Synthesis of β -D-Ribofuranosides from D-Ribofuranose and Alcohols. *Chem. Lett.*, **1993**, 1941, by N. Shimomura and T. Mukaiyama.
- 642 Catalytic Stereoselective Synthesis of 2-Amino-2-Deoxy- α -D-Glucopyranosides and Galactopyranosides. *Chem. Lett.*, **1993**, 2145, by K. Matsubara and T. Mukaiyama.

1994

- 643 Optically Active β -Ketoiminato Manganese(III) Complexes as Efficient Catalysts in Enantioselective Aerobic Epoxidation of Unfunctionalized Olefins. *Inorg. Chim. Acta*, **220**, 283 (1994), by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 644 An Effective Method for Acylation of Weakly Nucleophilic Anilines with Silyl Carboxylates via Mixed Anhydrides. *Bull. Chem. Soc. Jpn.*, **67**, 210 (1994), by M. Miyashita, I. Shiina, and T. Mukaiyama.
- 645 A Catalytic Asymmetric Michael Reaction of Silyl Enol Ethers with α , β -Unsaturated Ketones Using a Chiral Titanium Oxide. *Chem. Lett.*, **1994**, 97, by S. Kobayashi, S. Suda, M. Yamada, and T. Mukaiyama.

- 646 High-Yielding Catalytic Synthesis of Glycosyl Azides from Peracylated Sugars. *Chem. Lett.*, **1994**, 247, by K. Matsubara and T. Mukaiyama.
- 647 Tin(II) Chloride Catalyzed Synthesis of Ribofuranosides. *Chem. Lett.*, **1994**, 433, by N. Shimomura, M. Saitoh, and T. Mukaiyama.
- 648 A Useful Method for the Preparation of Carboxylic Esters from Free Carboxylic Acids and Alcohols. *Chem. Lett.*, **1994**, 515, by I. Shiina, S. Miyoshi, M. Miyashita, and T. Mukaiyama.
- 649 *N*-Alkyl Imidazoles as Effective Axial Ligands in the Aerobic Asymmetric Epoxidation of Unfunctionalized Olefins Catalyzed by Optically Active Manganese(III)-salen-type Complex. *Chem. Lett.*, **1994**, 527, by K. Imagawa, T. Nagata, T. Yamada, and T. Mukaiyama.
- 650 A Convenient Method for the Preparation of Acetal Carboxylic Acids by Nickel(II) Complex Catalyzed Oxygenation of α -Alkoxy Cyclic Ketones with Molecular Oxygen. *Chem. Lett.*, **1994**, 535, by E. Hata, T. Takai, T. Yamada, and T. Mukaiyama.
- 651 A Novel Method for the Preparation of Macrolides from ω -Hydroxycarboxylic Acids. *Chem. Lett.*, **1994**, 677, by I. Shiina and T. Mukaiyama.
- 652 Combined Use of Diphenyltin Sulfide or Lawesson's Reagent and Silver Perchlorate as Effective Catalyst Systems in Aldol Reaction. *Chem. Lett.*, **1994**, 789, by , T. Mukaiyama, K. Saitoh, H. Kitagawa, and N. Shimomura.
- 653 The Formation of 1,4-Quinones by Oxovanadium(IV)-Complexes Catalyzed Aerobic Oxygenation of Fused Aromatic Compounds. *Chem. Lett.*, **1994**, 885, by T. Takai, E. Hata, and T. Mukaiyama.
- 654 Diastereo- and Enantioselective Synthesis of *syn*- and *anti*-1,2-Diol Units by Asymmetric Aldol Reactions. *Chem. Soc. Jpn.*, **67**, 1708 (1994), by T. Mukaiyama, I. Shiina, H. Uchiro, and S. Kobayashi.
- 655 A Novel Method for the Preparation of Acid-Sensitive Epoxides from Olefins with the Combined Use of Molecular Oxygen and Aldoacetal Catalyzed by a Cobalt(II) Complex. *Bull. Chem. Soc. Jpn.*, **67**, 2195 (1994), by K. Yoroze, T. Takai, T. Yamada, and T. Mukaiyama.
- 656 Aerobic Enantioselective Epoxidation of Unfunctionalized Olefins Catalyzed by Optically Active Salen-Manganese(III) Complexes. *Bull. Chem. Soc. Jpn.*, **67**, 2248 (1994), by T. Yamada, K. Imagawa, T. Nagata, and T. Mukaiyama.
- 657 Enantioselective Aerobic Epoxidation of Acyclic Simple Olefins Catalyzed by the Optically Active β -Ketoiminato Manganese(III) Complex. *Chem. Lett.*, **1994**, 1259, by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 658 Stereoselective Syntheses of α -D- and β -D-Ribofuranosides Catalyzed by the Combined Use of Silver Salts and Their Partners. *Bull. Chem. Soc. Jpn.*, **67**, 2532 (1994), by N. Shimomura and T. Mukaiyama.

- 659 Direct and Stereoselective Preparation of Optically Active 1,3-Dioxolanes from the Corresponding Chiral Styrene Oxides. *Bull. Chem. Soc. Jpn.*, **67**, 2614 (1994), by T. Nagata, T. Takai, T. Yamada, K. Imagawa, and T. Mukaiyama.
- 660 Direct Oxygenation of Benzene and Its Analogues into Phenols Catalyzed by Oxovanadium(IV) Complex with Combined Use of Molecular Oxygen and Aldehyde. *Chem. Lett.*, **1994**, 1849, by E. Hata, T. Takai, T. Yamada, and T. Mukaiyama.
- 661 Tin(II) Chloride Catalyzed Synthesis of β -D-Ribonucleosides. *Chem. Lett.*, **1994**, 2089, by T. Mukaiyama, T. Matsutani, and N. Shimomura.
- 662 Stereoselective Syntheses of β -D-Ribonucleosides Catalyzed by the Combined Use of Silver Salts and Diphenyltin Sulfide or Lawesson's Reagent. *Bull. Chem. Soc. Jpn.*, **67**, 3100 (1994), by N. Shimomura, T. Matsutani, and T. Mukaiyama.
- 663 An Efficient Method for the Stereoselective Synthesis of 2-Amino- β -D- and α -D-Glycosides from Peracylated Sugars Using Active Acidic Species. *Polish J. Chem.*, **68**, 2365 (1994), by K. Matsubara and T. Mukaiyama.
- 664 An Efficient Glycosylation Reaction of 1-Hydroxy Sugars with Various Nucleophiles Using A Catalytic Amount of Activator and Hexamethyldisiloxane. *Synthesis*, **1994**, 1368, by T. Mukaiyama, K. Matsubara, and M. Hora.

1995

- 665 An Effective Method for Formylation of Weakly Nucleophilic Anilines and Indole. *Heterocycles*, **40**, 141 (1995), by I. Shiina, M. Miyashita, M. Nagai, and T. Mukaiyama.
- 666 The Catalytic Diels-Alder Reaction Using Combined Catalyst System of Diphenyltin Sulfide or Lawesson's Reagent and Silver Perchlorate. *Chem. Lett.*, **1995**, 1, by T. Mukaiyama, K. Watanabe, and I. Shiina.
- 667 An Efficient Esterification Reaction between Equimolar Amounts of Free Carboxylic Acids and Alcohols by the Combined Use of Octamethylcyclotetrasiloxane and a Catalytic Amount of Titanium(IV) chloride tris(trifluoromethanesulfonate). *Chem. Lett.*, **1995**, 141, by J. Izumi, I. Shiina, and T. Mukaiyama.
- 668 Mono-aryloxy or Mono-aloxy Zirconium Complexes/Methylaluminoxane Catalyst System in Ethylene Polymerization. *Polymer Bulletin*, **34**, 199 (1995), by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 669 A Novel Approach to the Synthesis of Taxol. A Synthesis of Optically Active 3,7-dibenzyloxy-4,8-di-*t*-butyl-dimethylsiloxy-5,5-dimethyl-6-*p*-methoxybenzyloxy-2-octanone by Way of Stereoselective Aldol Reactions. *Chem. Lett.*, **1995**, 179, by T. Mukaiyama, I. Shiina, K. Sakata, T. Emura, K. Seto, and M. Saitoh.
- 670 An Asymmetric Synthesis of Fully Functionalized B Ring System of Taxol. *Chem. Lett.*, **1995**, 181, by I. Shiina, K. Uoto, N. Mori, T. Kosugi, and T. Mukaiyama.
- 671 Synthesis of A B Ring Model System of Taxol via Allylation of 8-Membered Ring Compound and Intramolecular Aldol Condensation. *Chem. Lett.*, **1995**, 229, by T. Mukaiyama, I. Shiina, K. Kimura, Y. Akiyama, and H. Iwadare.

- 672 Asymmetric Oxidation of Sulfides with Molecular Oxygen Catalyzed by β -Oxo Aldiminato Manganese(III) Complexes. *Chem. Lett.*, **1995**, 335, by K. Imagawa, T. Nagata, T. Yamada, and T. Mukaiyama.
- 673 Optically Active *N, N'*-Bis(3-oxobutylidene)diaminomanganese(III) Complexes as Novel and Efficient Catalysts for Aerobic Enantioselective Epoxidation of Simple Olefins. *Bull. Chem. Soc. Jpn.*, **68**, 1455, by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 674 Stereoselective Synthesis of *N*-Acetyl- α -neuraminosyl-glactose Disaccharide. *Chem. Lett.*, **1995**, 455, by T. Mukaiyama, T. Sasaki, E. Iwashita, and K. Matsubara.
- 675 Convenient and Simple Preparation of Nitroolefins. Nitration of Olefins with Nitric Oxide. *Chem. Lett.*, **1995**, 505, by T. Mukaiyama, E. Hata, and T. Yamada.
- 676 Preparation of Narrow Polydispersity Polycaprolactone Catalyzed by Cationic Zirconocene Complexes. *Chem. Lett.*, **1995**, 737, by T. Mukaiyama, M. Hayakawa, K. Oouchi, M. Mitani, and T. Yamada.
- 677 An Asymmetric Synthesis of the Fully Functionalized AB Ring System of 12-Demethyltaxol via Successive Stereoselective Allylation and Intramolecular Aldol Reactions. *Chem. Lett.*, **1995**, 781, by I. Shiina, H. Iwadare, M. Saitoh, N. Ohkawa, T. Nishimura, and T. Mukaiyama.
- 678 Stereoselective Cyclopolymerization of 1,5-Hexadiene Using Novel Bis(ferrocenyl)zirconocene Catalyst. *Chem Lett.*, **1995**, 905, by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 679 Enantioselective Aerobic Oxidation of Sulfides Catalyzed by Optically Active β -Oxo Aldiminatomanganese(III) Complexes. *Bull. Chem. Soc. Jpn.*, **68** (1995), 3241, by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 680 A Convenient Method for the Preparation of Nitro Olefins by Nitration of Olefins with Nitrogen Monoxide. *Bull. Chem. Soc. Jpn.*, **68** (1995), 3269, by E. Hata, T. Yamada, and T. Mukaiyama.
- 681 Olefin Polymerization Catalyzed by Homo- or Heterobimetallic Zirconocene Complex/methylaluminoxane System. *Polymer Bulletin*, **35** (1995), 677, by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.

1996

- 682 Trityl Salt Catalyzed Stereoselective Glycosylation of Alcohols with 1-Hydroxyribofuranose. *Chem Lett.*, **1996**, 79, by H. Uchiro and T. Mukaiyama.
- 683 Synthesis of *N*⁶,2',3',5'-Tetrabenzoyl- β -D-adenosine Catalyzed by Metal Iodides. *Heterocycles*, **42** (1996), 57, by M. Nagai, T. Matsutani, and T. Mukaiyama.
- 684 Catalytic Stereoselective Synthesis of Pyrimidine 2-Deoxyribonucleosides. *Chem. Lett.*, **1996**, 99, by T. Mukaiyama, N. Hirano, M. Nishida, and H. Uchiro.

- 685 New and Effective Synthesis of 7-Triethylsilylbaccatin III from 7 β , 13 α - Bistriethylsiloxy-1 β , 2 α , 10 β -trihydroxy-9-oxo-4(20), 11-taxadiene. *Chem. Lett.*, **1996**, 223, by I. Shiina, M. Saitoh, K. Nishimura, K. Saitoh, and T. Mukaiyama.
- 686 A Significant Effect of a Lithium Salt in the Stereocontrolled Synthesis of α -D-Ribofuranosides. *Chem. Lett.*, **1966**, 271, by H. Uchiro and T. Mukaiyama.
- 687 Ethylene Oligomerization Catalyzed with Dichlorobis-(β - diketonato)zirconium/organoaluminum Chloride Systems. *Macromol. Chem. Phys.* **197**, 1545 (1966), by K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 688 Convenient Method for One-pot Preparation of 1,2-Diamines from Nitroolefins. *Chem. Lett.*, **1966**, 291, by K. Imagawa, E. Hata, T. Yamada, and T. Mukaiyama.
- 689 An Asymmetric Synthesis of the BC Ring System of 8-Epitaxoids by Way of Intramolecular Aldol and Successive Stereoselective Methylation Reactions. *Chem. Lett.*, **1966**, 483, by T. Mukaiyama, I. Shiina, H. Iwadare, M. Saitoh, K. Nishimura, T. Nishimura, N. Ohkawa, H. Sakoh, and K. Saitoh.
- 690 Novel Zirconacyclopentadiene Complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo- [4.3.0] nona-1(9),6(7)-diene: Synthesis, X-ray analysis, and catalytic Activity for Ethylene Polymerization. *Journal of Organometallic Chemistry*, **516**, 111 (1966), by K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 691 Ligand Effects on Olefin Polymerizations with Multinuclear Zirconocene Catalysts Having Dimethylsilylferrocene as a Cyclopentadienyl Substituent. *Macromol. Chem. Phys.* **197**, 1815 (1966), by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 692 A New Efficient Method for Stereoselective Synthesis of 2-Deoxy-C-ribofuranosides. *Chem. Lett.*, **1966**, 629, by T. Mukaiyama, H. Uchiro, N. Hirano, and T. Ishikawa.
- 693 Enantioselective Borohydride Reduction of Ketones Catalyzed by Optically Active Cobalt(II) Complexes: Achievement of High Enantioselection by Modified Borohydrides with Furfuryl Alcohol Derivatives. *Chem. Lett.*, **1966**, 737, by K. D. Sugi, T. Nagata, T. Yamada, and T. Mukaiyama.
- 694 The Catalytic Friedel-Crafts Acylation Reaction of Aromatic Compounds with Carboxylic Anhydrides Using Combined Catalyst System of Titanium(V) Chloride Tris(trifluoromethanesulfonate) and Trifluoromethanesulfonic Acid. *Chem. Lett.*, **1966**, 739, by J. Izumi and T. Mukaiyama.
- 695 Novel Zirconium-Iron Multinuclear Complex Catalysts for Olefin Polymerizations. *Bull. Chem. Soc. Jpn.*, **69**, 2967 (1996), by M. Mitani, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 696 Effects of Ligands and Additive Alcohols on Enantioselection in Highly Efficient Asymmetric Borohydride Reduction of Ketones Catalyzed by Optically Active Aldiminato Cobalt (II) Complexes. *Synlett*, **1996**, 1076, by T. Nagata, K. D. Sugi, T. Yamada, and T. Mukaiyama.

- 697 An Efficient Method for Catalytic Stereoselective Synthesis of α -L-Fucopyranosides. *Chem. Lett.*, **1996**, 1123, by T. Mukaiyama, K. Takeuchi, S. Higuchi, and H. Uchiro.
- 698 Asymmetric Allylation of Aromatic Aldehydes Using Chiral Allylic Tin Reagents. *Chem. Lett.*, **1996**, 1125, by M. Nishida, T. Tozawa, K. Yamada, and T. Mukaiyama.
- 699 Practical and Efficient Enantioselective Borohydride Reduction of Aromatic Ketones Catalyzed by Optically Active Cobalt (II) Complexes Using Pre-Modified Borohydride. *Chem. Lett.*, **1996**, 1081, by K. D. Sugi, T. Nagata, T. Yamada, and T. Mukaiyama.
- 700 Living Ring-opening Polymerization of Cyclic Carbonate Using Cationic Zirconocene Complex as Catalyst. *Macromol. Rapid Commun.* **17**, 865 (1996), by M. Hayakawa, M. Mitani, T. Yamada, and T. Mukaiyama.

1997

- 701 An Efficient Method for Catalytic and Stereoselective Glycosylation with Thioglycosides Promoted by Trityl Tetrakis(pentafluorophenyl)borate and Sodium Periodate. *Chem. Lett.*, **1997**, 121, by H. Uchiro and T. Mukaiyama.
- 702 New and Efficient Method for the Preparation of Medium-sized Lactones from the Corresponding ω -Hydroxycarboxylic Acids. *Chem. Lett.*, **1997**, 187, by T. Mukaiyama, J. Izumi, and I. Shiina.
- 703 Highly Stereoselective Synthesis of 2'-Deoxy- α -ribonucleosides and 2-Deoxy- α -C-ribofuranosides by Remote Stereocontrolled Glycosylation. *Chem. Lett.*, **1997**, 389, by T. Mukaiyama, T. Ishikawa, and H. Uchiro.
- 704 Catalytic Stereoselective Synthesis of α -D-Galactopyranosides from 2,3,4,6-Tetra-*O*-benzyl-D-galactopyranose and Several Alcoholic Nucleophiles. *Chem. Lett.*, **1997**, 403, by H. Uchiro, K. Miyazaki, and T. Mukaiyama.
- 705 An Asymmetric Synthesis of the ABC Ring System of 8-Demethyltaxoids from Optically Active 8-Membered Ring Compound via Intramolecular Aldol and Pinacol Coupling Reactions. *Chem. Lett.*, **1997**, 419, by I. Shiina, T. Nishimura, N. Ohkawa, H. Sakoh, K. Nishimura, K. Saitoh, and T. Mukaiyama.
- 706 Enantioselective Borohydride Reduction of *N*-Diphenylphosphinyl Imines Using Optically Active Cobalt(II) Complex Catalysts. *Chem. Lett.*, **1997**, 493, by K. D. Sugi, T. Nagata, T. Yamada and T. Mukaiyama.
- 707 Living Ring-opening Polymerization of Lactones Using Cationic Zirconocene Complex Catalysts. *Macromol. Chem. Phys.* **198**, 1305(1997), by M. Hayakawa, M. Mitani, T. Yamada, and T. Mukaiyama.
- 708 Highly Stereoselective Preparation of α -Glucosides Utilizing Anomerization Reaction with $\text{MgBr}_2 \cdot \text{OEt}$ and a Catalytic Amount of Titanium(IV)tetrahalides. *Chem. Lett.*, **1997**, 625, by T. Mukaiyama, K. Takeuchi, and H. Uchiro.

- 709 A Convenient Method for the Preparation of Disaccharides by Transglycosylation of Methyl Glucosides. *Israel Journal of Chemistry*, **37**, 87(1997), by H. Uchiro N. Kurusu, and T. Mukaiyama.
- 710 Asymmetric Allylation of Carbonyl Compounds with Tartrate-Modified Chiral Allylic Tin Reagents. *Bull. Chem. Soc. Jpn.*, **70**, 2031(1997), by K. Yamada, T. Tozawa, M. Nishida, and T. Mukaiyama.
- 711 An Efficient Method for Catalytic and Stereoselective Synthesis of 2-Deoxy- α -D-glucopyranosides from 3,4,6-Tri-*O*-benzyl-2-deoxy-D-glucopyranose and Several Alcoholic Nucleophiles. *Chem. Lett.*, **1997**, 969, by K. Takeuchi, S. Higuchi, and T. Mukaiyama.
- 712 Construction of AB-Ring System of Taxane Framework by A-Ring Annulation Strategy: Synthesis of 1-Hydroxy-8,11,11-trimethylbicyclo-[5.3.1]undec-7-en-9-one by Way of Intramolecular Aldol Cyclization to Form the C1-C-10 Bond. *Chem. Pharm. Bull.*, **45**(12), 1898 (1997), by K. Yamada, H. Iwadare, and T. Mukaiyama.
- 713 Stereocontrolled Synthesis of the BC Ring System of Taxol. *Chem. Lett.*, **1997**, 1139, by I. Shiina, H. Iwadare, H. Sakoh, Y. Tani, M. Hasegawa, K. Saitoh, and T. Mukaiyama.
- 714 Preparation of Useful Synthetic Intermediates of Taxol Analogs, Cyclooctenone Derivatives. *Chem. Pharm. Bull.*, **45**(12), 2113(1979), by K. Yamada, T. Tozawa, K. Saitoh, and T. Mukaiyama.

1998

- 715 A New Method for the Synthesis of Baccatin III. *Chem. Lett.*, **1998**, 1, by I. Shiina, H. Iwadare, H. Sakoh, M. Hasegawa, Y. Tani, and T. Mukaiyama.
- 716 Total Asymmetric Synthesis of Taxol by Dehydration Condensation between 7-TES Baccatin III and Protected *N*-Benzoylphenylisoserines Prepared by Enantioselective Aldol Reaction. *Chem. Lett.*, **1998**, 3, by I. Shiina, K. Saitoh, I. F. Ortuno, and Mukaiyama.
- 717 Trityl Tetrakis(pentafluorophenyl)borate Catalyzed Stereoselective Glycosylation Using Glycopyranosyl Fluoride as a Glycosyl Donor. *Chem. Lett.*, **1998**, 555, by K. Takeuchi and T. Mukaiyama.
- 718 A New Efficient Method for Catalytic Hydrolysis of Thioglycoside. *Chem. Lett.*, **1998**, 567, by H. Uchiro, Y. Wakiyama, and T. Mukaiyama.
- 719 Highly Stereoselective Synthesis of 1,2-*trans*-Glycosides Using *p*-Chlorobenzylated Glycosyl Carbonate as Glycosyl Donor. *Chem. Lett.*, **1998**, 635, by T. Mukaiyama, K. Miyazaki, and H. Uchiro.

- 720 *O,O'*-Di(2-pyridyl)Thiocarbonate as an Efficient Reagent for the Preparation of Carboxylic Esters from Highly Hindered Alcohols. *Chem. Lett.*, **1998**, 679, by K. Saitoh, I. Shiina, and T. Mukaiyama.
- 721 Determination of Relative and Absolute Stereochemistry of Cephalosporolide D and Its Enantioselective Total Synthesis. *Chem. Lett.*, **1998**, 831, by I. Shiina, Y. Fukuda, T. Ishii, H. Fujisawa, and T. Mukaiyama.