

Supporting Information

XANTHONE DERIVATIVES FROM THE FERMENTATION PRODUCTS OF AN ENDOPHYTIC FUNGUS OF *PHOMOPSIS AMYGDALI*

Qiufen Hu,¹ Deyun Niu,¹ Shuai Yang,² Hongyun Cao,² Meng Chunyang,¹ Haiyin Yang,¹ Xuemei Gao,^{1*} and Gang Du^{1,*}

¹ Key Laboratory of Chemistry in Ethnic Medicinal Resources, State Ethnic Affairs Commission & Ministry of Education, Yunnan University of Nationalities, Kunming 650031, P.R. China; ² Key Laboratory of Tobacco Chemistry of Yunnan Province, Yunnan Academy of Tobacco Science, Kunming 650106, P.R. China. E-mail: dugang2006@aliyun.com, gao_xuemei@hotmail.com

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S2	^{13}C NMR and ^1H NMR of compound (1)	3-4
Figure S3- S4	^{13}C NMR and ^1H NMR of compound (2)	5-6

Figure S1. ¹³C NMR and DEPT spectra of 1,5-dihydroxy-3-(2-oxopropyl)-6-methoxycarbonyl-xanthone (1)




Figure S2. ¹H NMR spectra of 1,5-dihydroxy-3-(2-oxopropyl)-6-methoxycarbonyl-xanthone (1)




Figure S3. ^{13}C NMR and DEPT spectra of 1-hydroxy-3-(2-oxopropyl)-8-methoxycarbonyl-xanthone (2)




Figure S4. ¹H NMR spectra of 1-hydroxy-3-(2-oxopropyl)-8-methoxycarbonyl-xanthone (2)

