

Supporting information

**THREE NEW ISOINDOLIN-1-ONES FROM THE LEAVES OF YUNNAN LOCAL
SUN CURED TOBACCO AND THEIR BIOACTIVITIES**

**Feng-Mei Zhang,^{1,2} Jian-Jun Xia,^{1,2} Pei-Song Yang,^{1,2} Qin-Peng Shen,¹ Chun-Bo Liu,¹
Pei He,¹ Jia-Qiang Wang,¹ Zhi-Hua Liu,^{2,*} and Zhong-Tao Ding^{1,*}**

¹ School of Chemical Science and Technology, Yunnan University, Kunming 650091, P.R. China; ² Key Laboratory of Tobacco Chemistry of Yunnan Province, Research and Development of Center, China Tobacco Yunnan Industrial Co., Ltd., Kunming 650231, P.R. China; E-mail: zhihualiu@163.com, ygy1110@163.com

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S4	¹³ C NMR, ¹ H NMR, HSQC, and HMBC spectra of 4,6-dihydroxy-2-(2-hydroxyethyl)-5-(3-hydroxypropan)isoindolin-1-one (1)	3-6
Figure S5-S6	¹³ C NMR and ¹ H NMR spectra of 4,6-dihydroxy-5-(3-hydroxypropan)-2-methylisoindolin-1-one (2)	7-8
Figure S7-S8	¹³ C NMR and ¹ H NMR spectra of 4,6-dihydroxy-5-(3-hydroxypropan)isoindolin-1-one (3)	9-10

Figure S1 ^{13}C NMR spectrum of 4,6-dihydroxy-2-(2-hydroxyethyl)-5-(3-hydroxypropan)isoindolin-1-one (**1**)




Figure S2 ¹H NMR spectrum of 4,6-dihydroxy-2-(2-hydroxyethyl)-5-(3-hydroxypropan)isoindolin-1-one (**1**)




Figure S3 HSQC spectrum of 4,6-dihydroxy-2-(2-hydroxyethyl)-5-(3-hydroxypropan)isoindolin-1-one (**1**)




Figure S4 HMBC spectrum of 4,6-dihydroxy-2-(2-hydroxyethyl)-5-(3-hydroxypropan)isoindolin-1-one (**1**)




Figure S5 ^{13}C NMR spectrum of 4,6-dihydroxy-5-(3-hydroxypropan)-2-methylisoindolin-1-one (**2**)




Figure S6 ^1H NMR spectrum of 4,6-dihydroxy-5-(3-hydroxypropan)-2-methylisoindolin-1-one (**2**)




Figure S7 ^{13}C NMR spectrum of 4,6-dihydroxy-5-(3-hydroxypropan)isoindolin-1-one (**3**)




Figure S8 ^1H NMR spectrum of 4,6-dihydroxy-5-(3-hydroxypropan)isoindolin-1-one (**3**)

