

THREE NEW ANTI-ROTAVIRUS CHROMENO[3,2-C]PYRIDINES FROM THE WHOLE PLANT OF *THALICTRUM SCABRIFOLIUM*

Qiu-Fen Hu,^{1,2} Fan Wu,¹ Tao Zhou,^{1,2} Min Zhou,¹ Ya-Ning Zhu,¹ Bing-Biao Cai,² Ming-Xin Liu,¹ Man-Fei Li,¹ Guang-Yu Yang,^{1,2*} and Yin-Ke Li,^{1*}

¹ Key Laboratory of Chemistry in Ethnic Medicinal Resources, Yunnan Minzu University, Kunming 60500, P. R. China. E-mail: linkli609@163.com; ² Key Laboratory of Tobacco Chemistry of Yunnan Province, China Tobacco Yunnan Industrial Co., Ltd, Kunming 650231, P.R. China, E-mail: ygy1110@163.com.

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S5	¹³ C NMR, ¹ H NMR, HSQC, HMBC and HRMS spectra of 3-hydroxymethyl-8-(3-hydroxypropanoyl)-7-methoxy-10 <i>H</i> -chromeno[3,2- <i>c</i>]pyridin-10-one (1)	3-7
Figure S6-S8	¹³ C NMR, ¹ H NMR and HRMS spectra of 8-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10 <i>H</i> -chromeno[3,2- <i>c</i>]pyridin-10-one (2)	8-10
Figure S9-S11	¹³ C NMR, ¹ H NMR and HRMS spectra of 9-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10 <i>H</i> -chromeno[3,2- <i>c</i>]pyridin-10-one (3)	11-13

Figure S1: ¹³C NMR spectrum of 3-hydroxymethyl-8-(3-hydroxypropanoyl)-7-methoxy-10H-chromeno[3,2-c]pyridin-10-one (1)




Figure S2: ^1H NMR spectrum of 3-hydroxymethyl-8-(3-hydroxypropanoyl)-7-methoxy-10*H*-chromeno[3,2-*c*]pyridin-10-one (**1**)




Figure S3: HSQC NMR spectrum of 3-hydroxymethyl-8-(3-hydroxypropanoyl)-7-methoxy-10H-chromeno[3,2-c]pyridin-10-one (1)




Figure S4: HMBC NMR spectrum of 3-hydroxymethyl-8-(3-hydroxypropanoyl)-7-methoxy-10H-chromeno[3,2-c]pyridin-10-one (1)




Figure S5: HRMS spectrum of 3-hydroxymethyl-8-(3-hydroxypropanoyl)-7-methoxy-10*H*-chromeno[3,2-*c*]pyridin-10-one (**1**)




Figure S6: ^{13}C NMR spectrum of 8-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10*H*-chromeno[3,2-*c*]pyridin-10-one (2)




Figure S7: ^1H NMR spectrum of 8-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10*H*-chromeno[3,2-*c*]pyridin-10-one (2)




Figure S8: HRMS spectrum of 8-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10*H*-chromeno[3,2-*c*]pyridin-10-one (**2**)




Figure S9: ^{13}C NMR spectrum of 9-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10*H*-chromeno[3,2-*c*]pyridin-10-one (3)




Figure S10: ¹H NMR spectrum of 9-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10H-chromeno[3,2-c]pyridin-10-one (3)




Figure S11: HRMS spectrum of 9-(3-hydroxypropanoyl)-7-methoxy-3-methyl-10*H*-chromeno[3,2-*c*]pyridin-10-one (**3**)

