

CHEMICAL STRUCTURES AND CELL DEATH INDUCING ACTIVITIES OF THE METABOLITES OF ASPERGILLUS TERREUS

Takahiro Matsumoto,* Masaya Okayama, Hayato Yoshikawa, Shifu Maeda, Takahiro Kitagawa, and Tetsushi Watanabe*



Kyoto Pharmaceutical University, 1 Misasagi-Shichono-cho, Yamashina-ku, Kyoto 607-8412, Japan.

* Corresponding authors. Phone: +81 75 595 4650 Fax: +81 75 595 4769 E-mail: tmatsumo@mb.kyoto-phu.ac.jp (T.M.), watanabe@mb.kyoto-phu.ac.jp (T.W.)


List of Supporting Information

- S1. ¹H NMR spectrum of terreus steroid (**1**).
- S2. ¹³C NMR spectrum of terreus steroid (**1**).
- S3. HMQC spectrum of terreus steroid (**1**).
- S4. HMBC spectrum of terreus steroid (**1**).
- S5. DQF-COSY spectrum of terreus steroid (**1**).
- S6. NOESY spectrum of terreus steroid (**1**).


S1. ^1H NMR spectrum of terreus steroid (**1**).




S2. ^{13}C NMR spectrum of terreus steroid (**1**).




S3. HMQC spectrum of terreus steroid (1).



S4. HMBC spectrum of terreus steroid (1).



S5. DQF-COSY spectrum of terreus steroid (**1**).



S6. NOESY spectrum of terreus steroid (**1**).

